

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU111020\
 Data File : VU041175.D
 Acq On : 10 Nov 2020 14:00
 Operator : SY/MD
 Sample : L4673-12DL 100X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GB0T2DL

Quant Time: Nov 11 01:48:44 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Nov 11 00:43:53 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	54131	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	56016	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	24375	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	14740	3.24	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	64.80%
7) Chloroethane-d5	1.92	69	13938	3.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	79.80%
11) 1,1-Dichloroethene-d2	2.58	63	23551	2.64	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	52.80%#
20) 2-Butanone-d5	4.66	46	78584	52.47	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.94%
24) Chloroform-d	5.08	84	38676	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.20%
26) 1,2-Dichloroethane-d4	5.72	65	24948	5.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.00%
32) Benzene-d6	5.74	84	64990	4.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.80%
36) 1,2-Dichloropropane-d6	6.70	67	22366	4.58	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.60%
41) Toluene-d8	7.91	98	52455	3.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.20%
43) trans-1,3-Dichloropropene-	8.19	79	8830	4.18	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.60%
46) 2-Hexanone-d5	8.64	63	54701	48.05	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.10%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	21918	4.84	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	23070	5.39	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.80%


Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	4.68	96	9052	2.258 ug/L	96
34) Trichloroethene	6.55	95	20390	4.787 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU111020\
Data File : VU041175.D
Acq On : 10 Nov 2020 14:00
Operator : SY/MD
Sample : L4673-12DL 100X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GB0T2DL

Quant Time: Nov 11 01:48:44 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Nov 11 00:43:53 2020
Response via : Initial Calibration





#22

cis-1,2-Dichloroethene

Concen: 2.258 ug/L

RT: 4.68 min Scan# 1040

Delta R.T. 0.00 min

Lab File: VU041175.D

Acq: 10 Nov 2020 14:00

Instrument :

MSVOA_U

ClientSampleId :

GB0T2DL


Tot Ion: 96 Resp: 9052

Ion Ratio Lower Upper

96 100

61 143.3 97.2 180.4




68 0.0 0.0 0.0



Abundance Ion 96.00 (95.70 to 96.70): VU0

Ion 61.05 (60.75 to 61.75): VU0

Ion 68.15 (67.85 to 68.85): VU0



#34

Trichloroethene

Concen: 4.787 ug/L

RT: 6.55 min Scan# 1621

Delta R.T. 0.00 min

Lab File: VU041175.D

Acq: 10 Nov 2020 14:00

Tgt Ion: 95 Resp: 20390


Ion Ratio Lower Upper

95 100

97 59.4 45.6 84.6

132 85.6 64.8 120.4

130 89.1 64.8 120.4



Abundance Ion 95.00 (94.70 to 95.70): VU0

Ion 96.95 (96.65 to 97.65): VU0

Ion 131.95 (131.65 to 132.65): V

Ion 129.95 (129.65 to 130.65): V

