

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111124\
 Data File : VU061582.D
 Acq On : 11 Nov 2024 14:51
 Operator : MD/SY
 Sample : P4743-16
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Nov 12 03:45:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 12 03:43:56 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	225564	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	212856	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	93403	5.000	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.596	65	46131	3.011	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	60.200%
7) Chloroethane-d5	1.911	69	51402	3.659	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	73.200%
11) 1,1-Dichloroethene-d2	2.560	65	22223	3.390	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.800%
20) 2-Butanone-d5	4.624	46	134707	43.301	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	86.600%
24) Chloroform-d	5.055	84	112200	3.858	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.200%
26) 1,2-Dichloroethane-d4	5.695	65	57254	3.949	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.000%
32) Benzene-d6	5.718	84	231783	3.865	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.200%
36) 1,2-Dichloropropane-d6	6.682	67	72567	4.024	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	80.400%
41) Toluene-d8	7.891	98	206542	3.683	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.600%
43) trans-1,3-Dichloroprop...	8.174	79	23096	3.138	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	62.800%
46) 2-Hexanone-d5	8.627	63	112681	37.377	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	74.760%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	55429	4.065	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	68360	4.133	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	82.600%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111124\
Data File : VU061582.D
Acq On : 11 Nov 2024 14:51
Operator : MD/SY
Sample : P4743-16
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Nov 12 03:45:53 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 12 03:43:56 2024
Response via : Initial Calibration

