

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU111219\
 Data File : VU035696.D
 Acq On : 12 Nov 2019 15:30
 Operator : JC/SP
 Sample : K5798-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFLW0

Quant Time: Nov 13 01:30:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM103119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 13 00:43:14 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	705949	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	669392	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	189280	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	253896	44.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.06%
7) Chloroethane-d5	1.93	69	219297	48.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.32%
11) 1,1-Dichloroethene-d2	2.60	63	310048	34.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.94%
21) 2-Butanone-d5	4.69	46	317321	95.28	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.28%
24) Chloroform-d	5.11	84	422347	47.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.92%
26) 1,2-Dichloroethane-d4	5.75	65	267440	49.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.16%
32) Benzene-d6	5.77	84	907270	52.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.00%
36) 1,2-Dichloropropane-d6	6.74	67	295172	52.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.32%
41) Toluene-d8	7.93	98	821500	49.92	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.84%
43) trans-1,3-Dichloropropene-	8.21	79	131295	50.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	100.74%
47) 2-Hexanone-d5	8.68	63	204134	94.13	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.13%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	389568	48.41	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.82%
64) 1,2-Dichlorobenzene-d4	12.22	152	205796	53.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.82%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU111219\
Data File : VU035696.D
Acq On : 12 Nov 2019 15:30
Operator : JC/SP
Sample : K5798-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFLW0

Quant Time: Nov 13 01:30:53 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM103119WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 13 00:43:14 2019
Response via : Initial Calibration

