

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111323\
 Data File : VU056308.D
 Acq On : 14 Nov 2023 16:15
 Operator : MD/SY
 Sample : 05341-10
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0QL9

Quant Time: Nov 15 02:55:08 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Nov 15 01:36:14 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	295989	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	291165	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	129100	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	62741	2.834	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	56.600%
7) Chloroethane-d5	1.907	69	53427	3.147	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	63.000%#
11) 1,1-Dichloroethene-d2	2.563	65	34401	3.521	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.400%
20) 2-Butanone-d5	4.621	46	174602	39.552	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	79.100%
24) Chloroform-d	5.055	84	155465	3.630	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	72.600%
26) 1,2-Dichloroethane-d4	5.695	65	74968	3.789	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.800%
32) Benzene-d6	5.724	84	296450	3.417	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	68.400%#
36) 1,2-Dichloropropane-d6	6.685	67	93304	3.569	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	71.400%
41) Toluene-d8	7.894	98	253960	3.315	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	66.400%#
43) trans-1,3-Dichloroprop...	8.177	79	33422	3.333	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	66.600%
46) 2-Hexanone-d5	8.627	63	144978	36.791	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	73.580%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	68886	3.687	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	73.800%
66) 1,2-Dichlorobenzene-d4	12.190	152	91649	3.843	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	76.800%#
Target Compounds						
42) Toluene	7.968	91	24122	0.280	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111323\
Data File : VU056308.D
Acq On : 14 Nov 2023 16:15
Operator : MD/SY
Sample : 05341-10
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0QL9

Quant Time: Nov 15 02:55:08 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Nov 15 01:36:14 2023
Response via : Initial Calibration

