

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111422\
 Data File : VU051831.D
 Acq On : 14 Nov 2022 13:42
 Operator : JC/MD
 Sample : VU1114WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK136

Quant Time: Nov 15 03:02:47 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 15 03:00:15 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	194281	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	200005	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	76384	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	61917	4.232	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	84.600%	
7) Chloroethane-d5	1.912	69	61987	4.062	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	81.200%	
11) 1,1-Dichloroethene-d2	2.565	65	26794	5.046	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	101.000%	
20) 2-Butanone-d5	4.636	46	215280	40.625	ug/L	0.01
Spiked Amount	50.000	Range 40 - 130	Recovery	=	81.240%	
24) Chloroform-d	5.063	84	148920	4.349	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.000%	
26) 1,2-Dichloroethane-d4	5.700	65	79934	4.322	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	86.400%	
32) Benzene-d6	5.726	84	286727	4.543	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.800%	
36) 1,2-Dichloropropane-d6	6.690	67	99571	4.512	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	90.200%	
41) Toluene-d8	7.896	98	220301	4.439	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	88.800%	
43) trans-1,3-Dichloroprop...	8.179	79	29365	4.352	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	87.000%	
46) 2-Hexanone-d5	8.632	63	155085	38.177	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	76.360%	
56) 1,1,2,2-Tetrachloroeth...	10.754	84	93927	4.644	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	92.800%	
66) 1,2-Dichlorobenzene-d4	12.192	152	82588	5.891	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	117.800%	
Target Compounds						Qvalue
16) Methylene chloride	3.047	84	16218	0.586	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111422\
Data File : VU051831.D
Acq On : 14 Nov 2022 13:42
Operator : JC/MD
Sample : VU1114WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK136

Quant Time: Nov 15 03:02:47 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 15 03:00:15 2022
Response via : Initial Calibration

