

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111523\
 Data File : VU056384.D
 Acq On : 16 Nov 2023 03:46
 Operator : MD/SY
 Sample : 05411-11
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0QH6

Quant Time: Nov 16 06:16:02 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 16 05:41:06 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	275084	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	276855	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	111778	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	92888	4.514	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	90.200%	
7) Chloroethane-d5	1.907	69	82668	5.240	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	104.800%	
11) 1,1-Dichloroethene-d2	2.563	65	48544	5.346	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	107.000%	
20) 2-Butanone-d5	4.621	46	223598	54.500	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	109.000%	
24) Chloroform-d	5.055	84	199636	5.016	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	100.400%	
26) 1,2-Dichloroethane-d4	5.695	65	101910	5.542	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	110.800%	
32) Benzene-d6	5.721	84	407082	4.935	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.800%	
36) 1,2-Dichloropropane-d6	6.685	67	121932	4.905	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	98.000%	
41) Toluene-d8	7.894	98	336281	4.617	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	92.400%	
43) trans-1,3-Dichloroprop...	8.177	79	44731	4.691	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	93.800%	
46) 2-Hexanone-d5	8.631	63	193321	51.595	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	103.200%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	88749	4.996	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	100.000%	
66) 1,2-Dichlorobenzene-d4	12.190	152	117389	5.685	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	113.600%	
Target Compounds						Qvalue
29) 1,1,1-Trichloroethane	5.316	97	9180	0.289	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111523\
Data File : VU056384.D
Acq On : 16 Nov 2023 03:46
Operator : MD/SY
Sample : 05411-11
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0QH6

Quant Time: Nov 16 06:16:02 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 16 05:41:06 2023
Response via : Initial Calibration

