

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111523\
 Data File : VU056368.D
 Acq On : 15 Nov 2023 20:29
 Operator : MD/SY
 Sample : 05372-09
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GCDQ5

Quant Time: Nov 16 04:42:38 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 16 04:37:29 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	295679	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	294872	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	128013	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	111585	5.045	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.000%
7) Chloroethane-d5	1.911	69	86182	5.082	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	101.600%
11) 1,1-Dichloroethene-d2	2.563	65	49699	5.092	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	101.800%
20) 2-Butanone-d5	4.621	46	257213	58.326	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.660%
24) Chloroform-d	5.055	84	218927	5.118	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.400%
26) 1,2-Dichloroethane-d4	5.695	65	110252	5.578	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	111.600%
32) Benzene-d6	5.721	84	442776	5.040	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.800%
36) 1,2-Dichloropropane-d6	6.685	67	138163	5.218	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.400%
41) Toluene-d8	7.894	98	379394	4.890	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.800%
43) trans-1,3-Dichloroprop...	8.177	79	48559	4.782	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.600%
46) 2-Hexanone-d5	8.627	63	208371	52.214	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.420%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	98005	5.180	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.600%
66) 1,2-Dichlorobenzene-d4	12.187	152	130256	5.508	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	110.200%
Target Compounds						
					Qvalue	
13) Acetone	2.634	43	25960	6.912	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111523\
Data File : VU056368.D
Acq On : 15 Nov 2023 20:29
Operator : MD/SY
Sample : 05372-09
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GCDQ5

Quant Time: Nov 16 04:42:38 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 16 04:37:29 2023
Response via : Initial Calibration





#13
 Acetone
 Concen: 6.912 ug/L
 RT: 2.634 min Scan# 41
 Delta R.T. 0.000 min
 Lab File: VU056368.D
 Acq: 15 Nov 2023 20:29

Instrument :
 MSVOA_U
 ClientSampleId :
 GCDQ5

Tgt Ion:	43	Resp:	25960
Ion Ratio	Lower	Upper	
43	100		
58	33.9	0.0	70.0

