

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU111618\
 Data File : VU028206.D
 Acq On : 17 Nov 2018 00:55
 Operator : MD/SY
 Sample : J5960-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AK8

Quant Time: Nov 17 03:57:11 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR111418WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Nov 17 03:46:40 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	146397	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	140536	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	62009	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	44431	3.66	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.20%
7) Chloroethane-d5	1.68	69	39748	4.12	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.40%
11) 1,1-Dichloroethene-d2	2.28	63	65529	2.89	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	57.80%#
20) 2-Butanone-d5	4.20	46	205406	58.30	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.60%
24) Chloroform-d	4.65	84	90413	4.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.60%
26) 1,2-Dichloroethane-d4	5.31	65	53962	5.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.00%
32) Benzene-d6	5.34	84	174918	4.33	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.60%
36) 1,2-Dichloropropane-d6	6.33	67	69055	4.78	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.60%
41) Toluene-d8	7.57	98	143731	3.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.60%
43) trans-1,3-Dichloropropene-	7.85	79	19521	3.79	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.80%
46) 2-Hexanone-d5	8.31	63	147246	50.08	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.16%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	53020	5.20	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.00%
64) 1,2-Dichlorobenzene-d4	11.86	152	51935	4.48	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.60%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU111618\
Data File : VU028206.D
Acq On : 17 Nov 2018 00:55
Operator : MD/SY
Sample : J5960-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AK8

Quant Time: Nov 17 03:57:11 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR111418WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Nov 17 03:46:40 2018
Response via : Initial Calibration

