

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU111620\  
 Data File : VU041257.D  
 Acq On : 16 Nov 2020 19:12  
 Operator : SY/MD  
 Sample : L4727-06  
 Misc : 25.0mL/MSVOA U/WATER  
 ALS Vial : 26 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VHBLK01

Quant Time: Nov 17 09:59:20 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR111620WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Mon Nov 16 12:08:29 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 6.26  | 114  | 68973    | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 9.42  | 117  | 65592    | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.81 | 152  | 30040    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.60   | 65    | 24384    | 4.81     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 96.20%  |
| 7) Chloroethane-d5             | 1.92   | 69    | 23838    | 5.49     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 109.80% |
| 11) 1,1-Dichloroethene-d2      | 2.58   | 63    | 37576    | 3.58     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 71.60%  |
| 20) 2-Butanone-d5              | 4.65   | 46    | 101621   | 48.58    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 97.16%  |
| 24) Chloroform-d               | 5.08   | 84    | 54038    | 4.92     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 98.40%  |
| 26) 1,2-Dichloroethane-d4      | 5.72   | 65    | 33730    | 4.71     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 94.20%  |
| 32) Benzene-d6                 | 5.74   | 84    | 94958    | 5.37     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 107.40% |
| 36) 1,2-Dichloropropane-d6     | 6.70   | 67    | 36330    | 5.96     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 119.20% |
| 41) Toluene-d8                 | 7.91   | 98    | 74727    | 4.49     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 89.80%  |
| 43) trans-1,3-Dichloropropene- | 8.19   | 79    | 12754    | 4.86     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 97.20%  |
| 46) 2-Hexanone-d5              | 8.64   | 63    | 71680    | 51.17    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 102.34% |
| 57) 1,1,2,2-Tetrachloroethane- | 10.75  | 84    | 31036    | 5.25     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 105.00% |
| 64) 1,2-Dichlorobenzene-d4     | 12.19  | 152   | 29112    | 4.97     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 99.40%  |

| Target Compounds | Ovalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU111620\  
Data File : VU041257.D  
Acq On : 16 Nov 2020 19:12  
Operator : SY/MD  
Sample : L4727-06  
Misc : 25.0mL/MSVOA U/WATER  
ALS Vial : 26 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VHBLK01

Quant Time: Nov 17 09:59:20 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR111620WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Mon Nov 16 12:08:29 2020  
Response via : Initial Calibration

