

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU111620\
 Data File : VU041248.D
 Acq On : 16 Nov 2020 15:20
 Operator : SY/MD
 Sample : L4754-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BW4

Quant Time: Nov 17 07:43:52 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR111620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Nov 16 12:08:29 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	63664	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	71645	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	27335	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	23143	4.94	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.80%
7) Chloroethane-d5	1.92	69	22650	5.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	113.00%
11) 1,1-Dichloroethene-d2	2.58	63	37101	3.83	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	76.60%
20) 2-Butanone-d5	4.66	46	103378	53.54	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.08%
24) Chloroform-d	5.08	84	52079	5.14	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.80%
26) 1,2-Dichloroethane-d4	5.72	65	33302	5.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.80%
32) Benzene-d6	5.74	84	91673	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.00%
36) 1,2-Dichloropropane-d6	6.70	67	34447	5.18	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.60%
41) Toluene-d8	7.91	98	70631	3.88	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.60%
43) trans-1,3-Dichloropropene-	8.19	79	10496	3.66	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.20%
46) 2-Hexanone-d5	8.64	63	67833	44.33	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	88.66%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	29278	4.53	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	27126	5.09	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.80%


Target Compounds					Ovalue
3) Chloromethane	1.53	50	2006	0.354 ug/L	100
13) Acetone	2.66	43	3298	2.575 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU111620\
Data File : VU041248.D
Acq On : 16 Nov 2020 15:20
Operator : SY/MD
Sample : L4754-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BW4

Quant Time: Nov 17 07:43:52 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR111620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Nov 16 12:08:29 2020
Response via : Initial Calibration









#3
 Chloromethane
 Concen: 0.354 ug/L
 RT: 1.53 min Scan# 58
 Delta R.T. 0.00 min
 Lab File: VU041248.D
 Acq: 16 Nov 2020 15:20

Instrument :
 MSVOA_U
 ClientSampled :
 C0BW4

Tot Ion: 50 Resp: 2006
 Ion Ratio Lower Upper
 50 100
 52 32.1 22.4 41.6



#13
 Acetone
 Concen: 2.575 ug/L
 RT: 2.66 min Scan# 410
 Delta R.T. -0.00 min
 Lab File: VU041248.D
 Acq: 16 Nov 2020 15:20

Tgt Ion: 43 Resp: 3298
 Ion Ratio Lower Upper
 43 100
 58 16.9 0.0 25.4

