

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111624\
 Data File : VU061742.D
 Acq On : 16 Nov 2024 14:06
 Operator : MD/SY
 Sample : P4800-17DL 10X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GCPB6DL

Quant Time: Nov 18 00:20:42 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Nov 18 00:17:37 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	201977	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	191959	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	84462	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	41434	3.175	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	63.600%
7) Chloroethane-d5	1.908	69	42072	3.776	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	75.600%
11) 1,1-Dichloroethene-d2	2.557	65	19032	3.250	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.000%
20) 2-Butanone-d5	4.628	46	111594	40.288	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	80.580%
24) Chloroform-d	5.052	84	98240	3.787	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	75.800%
26) 1,2-Dichloroethane-d4	5.695	65	48549	3.900	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.000%
32) Benzene-d6	5.718	84	201665	3.797	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	76.000%
36) 1,2-Dichloropropane-d6	6.682	67	61735	3.942	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	78.800%
41) Toluene-d8	7.891	98	176586	3.568	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	71.400%
43) trans-1,3-Dichloroprop...	8.174	79	18789	3.257	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	65.200%
46) 2-Hexanone-d5	8.631	63	96115	42.160	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.320%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	49686	4.024	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	80.400%
66) 1,2-Dichlorobenzene-d4	12.187	152	61494	4.088	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	81.800%
Target Compounds					Qvalue	
34) Trichloroethene	6.538	95	6654	0.424	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111624\
Data File : VU061742.D
Acq On : 16 Nov 2024 14:06
Operator : MD/SY
Sample : P4800-17DL 10X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GCPB6DL

Quant Time: Nov 18 00:20:42 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Nov 18 00:17:37 2024
Response via : Initial Calibration

