

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111723\
 Data File : VU056446.D
 Acq On : 17 Nov 2023 16:54
 Operator : MD/SY
 Sample : 05441-01
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Nov 17 23:23:04 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 17 23:14:39 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	320467	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	318343	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	132812	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	68043	2.839	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	56.800%
7) Chloroethane-d5	1.908	69	64379	3.503	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	70.000%
11) 1,1-Dichloroethene-d2	2.563	65	34127	3.226	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.600%
20) 2-Butanone-d5	4.618	46	235627	49.298	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.600%
24) Chloroform-d	5.055	84	185673	4.005	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.000%
26) 1,2-Dichloroethane-d4	5.695	65	94344	4.404	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.000%
32) Benzene-d6	5.721	84	339712	3.582	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	71.600%
36) 1,2-Dichloropropane-d6	6.685	67	109878	3.844	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	76.800%
41) Toluene-d8	7.894	98	268925	3.211	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	64.200%#
43) trans-1,3-Dichloroprop...	8.177	79	40797	3.721	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	74.400%
46) 2-Hexanone-d5	8.627	63	178488	41.428	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	82.860%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	84467	4.135	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.800%
66) 1,2-Dichlorobenzene-d4	12.190	152	105903	4.316	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.400%
Target Compounds						
					Qvalue	
12) 1,1-Dichloroethene	2.576	96	49295	2.513	ug/L	94
19) 1,1-Dichloroethane	3.862	63	109708	2.744	ug/L	100
29) 1,1,1-Trichloroethane	5.309	97	3147860	86.144	ug/L	99
31) Carbon tetrachloride	5.309	117	390905	12.455	ug/L	99
34) Trichloroethene	6.538	95	137716	5.565	ug/L	97
35) Methylcyclohexane	6.685	83	26839	0.751	ug/L #	28
37) 1,2-Dichloropropane	6.685	63	11729	0.495	ug/L #	88
48) 2-Hexanone	8.695	43	7414	0.810	ug/L #	84
61) 1,2,3-Trichloropropane	11.807	75	17173	1.507	ug/L #	67


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111723\
Data File : VU056446.D
Acq On : 17 Nov 2023 16:54
Operator : MD/SY
Sample : 05441-01
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :


Quant Time: Nov 17 23:23:04 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 17 23:14:39 2023
Response via : Initial Calibration








#12
1,1-Dichloroethene
Concen: 2.513 ug/L
RT: 2.576 min Scan# 400
Delta R.T. -0.000 min
Lab File: VU056446.D
Acq: 17 Nov 2023 16:54

Instrument :
MSVOA_U
ClientSampleId :







Tgt Ion: 96 Resp: 49295
Ion Ratio Lower Upper
96 100
61 177.3 123.1 228.7
63 149.3 93.3 173.3



#19
1,1-Dichloroethane
Concen: 2.744 ug/L
RT: 3.862 min Scan# 800
Delta R.T. -0.003 min
Lab File: VU056446.D
Acq: 17 Nov 2023 16:54

Tgt Ion: 63 Resp: 109708
Ion Ratio Lower Upper
63 100
65 31.0 21.8 40.6
83 14.2 9.7 17.9









#29
1,1,1-Trichloroethane
Concen: 86.144 ug/L
RT: 5.309 min Scan# 1250
Delta R.T. -0.003 min
Lab File: VU056446.D
Acq: 17 Nov 2023 16:54




Instrument :
MSVOA_U
ClientSampleId :


Tgt Ion: 97 Resp: 3147860
Ion Ratio Lower Upper
97 100
99 64.2 51.6 77.4
61 41.9 34.3 51.5



#31
Carbon tetrachloride
Concen: 12.455 ug/L
RT: 5.309 min Scan# 1250
Delta R.T. -0.212 min
Lab File: VU056446.D
Acq: 17 Nov 2023 16:54

Tgt Ion: 117 Resp: 390905
Ion Ratio Lower Upper
117 100
119 96.5 78.1 117.1









#34
Trichloroethene
Concen: 5.565 ug/L
RT: 6.538 min Scan# 1678
Delta R.T. -0.000 min
Lab File: VU056446.D
Acq: 17 Nov 2023 16:54

Instrument :
MSVOA_U
ClientSampleId :

Tgt Ion: 95 Resp: 137716




Ion	Ratio	Lower	Upper
95	100		
97	63.6	46.5	86.3
132	91.3	62.0	115.2
130	96.2	66.3	123.1




#35
Methylcyclohexane
Concen: 0.751 ug/L
RT: 6.685 min Scan# 1678
Delta R.T. -0.074 min
Lab File: VU056446.D
Acq: 17 Nov 2023 16:54

Tgt Ion: 83 Resp: 26839

Ion	Ratio	Lower	Upper
83	100		
55	0.1	62.9	94.3#
98	19.0	35.3	52.9#









#37
1,2-Dichloropropane
Concen: 0.495 ug/L
RT: 6.685 min Scan# 11
Delta R.T. -0.100 min
Lab File: VU056446.D
Acq: 17 Nov 2023 16:54




Instrument :
MSVOA_U
ClientSampleId :


Tgt Ion: 63 Resp: 11729
Ion Ratio Lower Upper
63 100
112 0.0 3.2 4.8#



#48
2-Hexanone
Concen: 0.810 ug/L
RT: 8.695 min Scan# 2303
Delta R.T. 0.016 min
Lab File: VU056446.D
Acq: 17 Nov 2023 16:54


Tgt Ion: 43 Resp: 7414
Ion Ratio Lower Upper
43 100
58 51.9 48.7 73.1
57 8.6 16.8 25.2#
100 3.7 9.9 14.9#





#61
 1,2,3-Trichloropropane
 Concen: 1.507 ug/L
 RT: 11.807 min Scan# 31
 Delta R.T. 0.990 min
 Lab File: VU056446.D
 Acq: 17 Nov 2023 16:54

Instrument :
 MSVOA_U
 ClientSampleId :



Tgt Ion	Ratio	Lower	Upper
75	100		
110	2.4	30.4	45.6#
77	32.1	27.0	40.6

