

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU111819\
 Data File : VU035738.D
 Acq On : 18 Nov 2019 11:52
 Operator : JC/SP
 Sample : K5856-13DL 5X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAQH0DL

Quant Time: Nov 19 01:04:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR110419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 19 00:32:50 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	196982	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	227081	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	87886	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	89215	4.40	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.00%
7) Chloroethane-d5	1.93	69	80822	4.87	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.40%
11) 1,1-Dichloroethene-d2	2.59	63	114778	3.36	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.20%
20) 2-Butanone-d5	4.71	46	233804	52.23	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.46%
24) Chloroform-d	5.11	84	168209	5.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.20%
26) 1,2-Dichloroethane-d4	5.75	65	88824	5.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.60%
32) Benzene-d6	5.77	84	317294	4.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.80%
36) 1,2-Dichloropropane-d6	6.73	67	110245	4.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.40%
41) Toluene-d8	7.93	98	259849	3.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.80%
43) trans-1,3-Dichloropropene-	8.22	79	39465	4.27	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.40%
46) 2-Hexanone-d5	8.69	63	156962	43.39	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.78%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	96795	4.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.80%
64) 1,2-Dichlorobenzene-d4	12.22	152	88226	5.06	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.20%


Target Compounds					Ovalue
34) Trichloroethene	6.58	95	121143	5.923 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU111819\
Data File : VU035738.D
Acq On : 18 Nov 2019 11:52
Operator : JC/SP
Sample : K5856-13DL 5X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAQH0DL

Quant Time: Nov 19 01:04:37 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR110419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 19 00:32:50 2019
Response via : Initial Calibration





#34

Trichloroethene

Concen: 5.923 ug/L

RT: 6.58 min Scan# 1630

Delta R.T. 0.00 min

Lab File: VU035738.D


Acq: 18 Nov 2019 11:52

Instrument :

MSVOA_U

ClientSampleId :

GAQH0DL



Tot Ion: 95 Resp: 121143


Ion Ratio Lower Upper

95 100

97 64.6 44.5 82.7

132 103.6 69.9 129.7

130 102.3 74.1 137.7



Abundance Ion 95.00 (94.70 to 95.70): VU0

Ion 96.95 (96.65 to 97.65): VU0

Ion 131.95 (131.65 to 132.65): V

Ion 129.95 (129.65 to 130.65): V

