

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111823\
 Data File : VU056481.D
 Acq On : 18 Nov 2023 15:34
 Operator : MD/SY
 Sample : 05452-01
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AH5

Quant Time: Nov 18 23:13:36 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Nov 18 00:12:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	328128	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	334896	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	140371	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	62232	2.536	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	50.800%
7) Chloroethane-d5	1.904	69	62976	3.347	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	67.000%
11) 1,1-Dichloroethene-d2	2.560	65	30598	2.825	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	56.400%#
20) 2-Butanone-d5	4.618	46	220392	45.034	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	90.060%
24) Chloroform-d	5.055	84	174543	3.677	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	73.600%
26) 1,2-Dichloroethane-d4	5.695	65	88637	4.041	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.800%
32) Benzene-d6	5.721	84	306553	3.072	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	61.400%#
36) 1,2-Dichloropropane-d6	6.685	67	103303	3.435	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	68.800%
41) Toluene-d8	7.894	98	250773	2.846	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	57.000%#
43) trans-1,3-Dichloroprop...	8.177	79	37373	3.240	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	64.800%
46) 2-Hexanone-d5	8.627	63	168577	37.194	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	74.380%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	82691	3.848	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	77.000%
66) 1,2-Dichlorobenzene-d4	12.190	152	99585	3.840	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	76.800%#
Target Compounds						
16) Methylene chloride	3.042	84	18557	0.698	ug/L	Qvalue 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111823\
Data File : VU056481.D
Acq On : 18 Nov 2023 15:34
Operator : MD/SY
Sample : 05452-01
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COAH5

Quant Time: Nov 18 23:13:36 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Nov 18 00:12:04 2023
Response via : Initial Calibration

