

Data File : VU041329.D
Acq On : 18 Nov 2020 22:11
Operator : SY/MD
Sample : L4790-13
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Nov 19 01:51:11 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR111620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Nov 19 00:50:13 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	64815	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	66252	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	29213	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	21008	4.41	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.20%
7) Chloroethane-d5	1.92	69	18867	4.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.60%
11) 1,1-Dichloroethene-d2	2.58	63	33958	3.45	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.00%
20) 2-Butanone-d5	4.65	46	96895	49.29	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.58%
24) Chloroform-d	5.08	84	50192	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.40%
26) 1,2-Dichloroethane-d4	5.72	65	32375	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.20%
32) Benzene-d6	5.74	84	87632	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.20%
36) 1,2-Dichloropropane-d6	6.70	67	30489	4.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.00%
41) Toluene-d8	7.91	98	71774	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.40%
43) trans-1,3-Dichloropropene-	8.19	79	11881	4.48	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.60%
46) 2-Hexanone-d5	8.64	63	67202	47.49	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.98%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	28185	4.72	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	28777	5.05	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.00%

Target Compounds

						Qvalue
3) Chloromethane	1.53	50	729	0.127	ug/L	96
5) Vinyl chloride	1.61	62	64483	11.460	ug/L	97
13) Acetone	2.66	43	2630	2.017	ug/L	99
18) trans-1,2-Dichloroethene	3.37	96	3127	0.761	ug/L	88
22) cis-1,2-Dichloroethene	4.68	96	26014	5.605	ug/L	99
34) Trichloroethene	6.55	95	832	0.171	ug/L	91
35) Methylcyclohexane	6.78	83	653m	0.101	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU041329.D
Acq On : 18 Nov 2020 22:11
Operator : SY/MD
Sample : L4790-13
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Nov 19 01:51:11 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR111620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Nov 19 00:50:13 2020
Response via : Initial Calibration

