

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U112119\
 Data File : VU035800.D
 Acq On : 21 Nov 2019 13:52
 Operator : JC/SP
 Sample : VU1121WBL01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK11

Quant Time: Nov 22 01:51:00 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR112119WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Nov 22 01:33:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	255684	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	283072	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	112537	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	159715	4.78	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	95.60%
7) Chloroethane-d5	1.93	69	142385	4.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.40%
11) 1,1-Dichloroethene-d2	2.59	63	219934	3.54	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.80%
20) 2-Butanone-d5	4.71	46	419584	54.28	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.56%
24) Chloroform-d	5.11	84	261677	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.60%
26) 1,2-Dichloroethane-d4	5.75	65	158154	4.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.60%
32) Benzene-d6	5.77	84	529861	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.20%
36) 1,2-Dichloropropane-d6	6.74	67	183724	5.05	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.00%
41) Toluene-d8	7.93	98	441861	4.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.60%
43) trans-1,3-Dichloropropene-	8.22	79	65604	4.63	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.60%
46) 2-Hexanone-d5	8.69	63	277426	48.74	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.48%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	142191	4.64	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.80%
64) 1,2-Dichlorobenzene-d4	12.22	152	130813	5.35	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.00%


Target Compounds					Ovalue
16) Methylene chloride	3.08	84	8144	0.253 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU112119\
Data File : VU035800.D
Acq On : 21 Nov 2019 13:52
Operator : JC/SP
Sample : VU1121WBL01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK11

Quant Time: Nov 22 01:51:00 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR112119WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Nov 22 01:33:44 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 0.253 ug/L

RT: 3.08 min Scan# 542

Delta R.T. 0.00 min

Lab File: VU035800.D

Acq: 21 Nov 2019 13:52

Instrument :

MSVOA_U

ClientSampleId :

VBLK11

Tot Ion: 84 Resp: 8144

Ion Ratio Lower Upper

84 100

86 60.9 44.4 82.5

49 143.2 94.0 174.6

