

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
 Data File : VU052008.D
 Acq On : 21 Nov 2022 20:40
 Operator : JC/MD
 Sample : N5710-09DL 20X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0KY8DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
 Title : VOC Analysis

Signal : TIC: VU052008.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.601	74	81	101	rVB	259138	301295	16.93%	2.017%
2	1.906	168	176	197	rVB	180516	266592	14.98%	1.785%
3	2.565	368	381	400	rBV3	415693	764553	42.97%	5.119%
4	2.986	509	512	513	rBV2	309	184	0.01%	0.001%
5	3.044	521	530	551	rVB2	10469	21797	1.22%	0.146%
6	3.179	558	572	596	rVB	33455	77279	4.34%	0.517%
7	3.292	604	607	608	rBV2	236	126	0.01%	0.001%
8	3.314	612	614	617	rBV	134	77	0.00%	0.001%
9	3.337	617	621	622	rBV2	399	245	0.01%	0.002%
10	3.353	623	626	629	rVB2	660	423	0.02%	0.003%
11	3.662	720	722	726	rBV2	309	224	0.01%	0.001%
12	3.687	727	730	733	rBV2	261	191	0.01%	0.001%
13	3.774	753	757	761	rBV2	238	246	0.01%	0.002%
14	3.819	770	771	772	rVB	229	44	0.00%	0.000%
15	3.867	773	786	802	rBV3	4928	11640	0.65%	0.078%
16	4.109	860	861	862	rBV	137	40	0.00%	0.000%
17	4.215	890	894	901	rBV2	314	418	0.02%	0.003%
18	4.256	904	907	910	rVB	261	173	0.01%	0.001%
19	4.276	910	913	914	rBV2	133	77	0.00%	0.001%
20	4.305	920	922	923	rBV	167	75	0.00%	0.001%
21	4.366	938	941	945	rBV2	225	201	0.01%	0.001%
22	4.398	948	951	953	rBV	217	155	0.01%	0.001%
23	4.446	963	966	967	rBV	216	129	0.01%	0.001%
24	4.475	972	975	976	rBV	145	93	0.01%	0.001%
25	4.617	1007	1019	1030	rBV	168278	407207	22.88%	2.726%
26	5.060	1140	1157	1182	rBV	313767	685011	38.50%	4.586%
27	5.327	1238	1240	1242	rBV	226	102	0.01%	0.001%
28	5.363	1248	1251	1254	rBV3	510	388	0.02%	0.003%
29	5.436	1271	1274	1277	rBV	193	141	0.01%	0.001%
30	5.520	1298	1300	1301	rVB	144	37	0.00%	0.000%
31	5.530	1301	1303	1304	rBV	199	83	0.00%	0.001%
32	5.723	1342	1363	1404	rBV2	656927	1779443	100.00%	11.914%
33	5.903	1416	1419	1422	rBV3	439	287	0.02%	0.002%
34	6.157	1495	1498	1506	rVB3	449	468	0.03%	0.003%
35	6.247	1510	1526	1557	rBV	550417	1053174	59.19%	7.051%
36	6.456	1588	1591	1599	rBV3	619	566	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
 Data File : VU052008.D
 Acq On : 21 Nov 2022 20:40
 Operator : JC/MD
 Sample : N5710-09DL 20X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0KY8DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
 Title : VOC Analysis

37	6.539	1602	1617	1643	rBV	905105	1701751	95.63%	11.393%
38	6.687	1651	1663	1680	rBV	401860	779823	43.82%	5.221%
39	6.919	1732	1735	1736	rBV2	278	142	0.01%	0.001%
40	6.967	1742	1750	1760	rBV3	992	1926	0.11%	0.013%
41	7.163	1809	1811	1815	rBV3	362	339	0.02%	0.002%
42	7.231	1829	1832	1836	rVB3	499	313	0.02%	0.002%
43	7.250	1836	1838	1840	rVB	185	72	0.00%	0.000%
44	7.266	1840	1843	1846	rBV2	352	218	0.01%	0.001%
45	7.288	1846	1850	1853	rVB2	299	194	0.01%	0.001%
46	7.314	1854	1858	1861	rBV2	165	143	0.01%	0.001%
47	7.330	1861	1863	1866	rBV2	303	176	0.01%	0.001%
48	7.407	1882	1887	1893	rVB3	315	318	0.02%	0.002%
49	7.433	1893	1895	1896	rBV2	65	31	0.00%	0.000%
50	7.446	1896	1899	1903	rBV2	173	136	0.01%	0.001%
51	7.494	1911	1914	1918	rBV2	250	169	0.01%	0.001%
52	7.562	1923	1935	1956	rBV	198845	355845	20.00%	2.382%
53	7.768	1997	1999	2001	rVB2	206	86	0.00%	0.001%
54	7.784	2001	2004	2007	rBV2	954	798	0.04%	0.005%
55	7.825	2016	2017	2018	rBV2	167	44	0.00%	0.000%
56	7.896	2026	2039	2073	rBV	773088	1337699	75.18%	8.956%
57	8.176	2115	2126	2148	rBV	138870	230446	12.95%	1.543%
58	8.417	2198	2201	2203	rBV	292	157	0.01%	0.001%
59	8.552	2232	2243	2255	rVB2	29384	50193	2.82%	0.336%
60	8.629	2255	2267	2303	rBV2	451413	880173	49.46%	5.893%
61	8.912	2353	2355	2357	rBV2	275	177	0.01%	0.001%
62	8.944	2361	2365	2372	rVB2	517	540	0.03%	0.004%
63	9.060	2399	2401	2403	rBV	296	120	0.01%	0.001%
64	9.124	2417	2421	2422	rBV	318	206	0.01%	0.001%
65	9.153	2427	2430	2431	rBV	225	133	0.01%	0.001%
66	9.234	2453	2455	2460	rVB2	324	184	0.01%	0.001%
67	9.276	2460	2468	2475	rVB3	404	593	0.03%	0.004%
68	9.321	2480	2482	2484	rVV	132	31	0.00%	0.000%
69	9.414	2498	2511	2546	rBV	761424	1277876	71.81%	8.556%
70	9.632	2576	2579	2581	rBV2	267	163	0.01%	0.001%
71	9.694	2592	2598	2599	rBV2	642	643	0.04%	0.004%
72	9.739	2610	2612	2614	rBV2	152	56	0.00%	0.000%
73	9.777	2619	2624	2629	rBV3	505	621	0.03%	0.004%
74	9.845	2642	2645	2648	rVB2	378	262	0.01%	0.002%
75	9.870	2650	2653	2657	rBV2	300	273	0.02%	0.002%
76	10.102	2720	2725	2727	rBV3	773	753	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
 Data File : VU052008.D
 Acq On : 21 Nov 2022 20:40
 Operator : JC/MD
 Sample : N5710-09DL 20X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0KY8DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
 Title : VOC Analysis

77	10.185	2748	2751	2756	rBV2	385	335	0.02%	0.002%
78	10.259	2773	2774	2779	rVB	366	215	0.01%	0.001%
79	10.285	2780	2782	2785	rBV2	308	166	0.01%	0.001%
80	10.465	2835	2838	2839	rBV	233	130	0.01%	0.001%
81	10.565	2867	2869	2870	rBV	204	78	0.00%	0.001%
82	10.587	2875	2876	2879	rBV	153	61	0.00%	0.000%
83	10.677	2900	2904	2909	rBV2	354	312	0.02%	0.002%
84	10.703	2910	2912	2914	rBV	226	102	0.01%	0.001%
85	10.755	2914	2928	2947	rBV	585982	951654	53.48%	6.371%
86	10.970	2992	2995	3000	rBV2	489	400	0.02%	0.003%
87	11.218	3068	3072	3079	rBV2	469	412	0.02%	0.003%
88	11.250	3079	3082	3084	rBV2	359	262	0.01%	0.002%
89	11.443	3138	3142	3145	rBV	327	255	0.01%	0.002%
90	11.465	3145	3149	3152	rBV3	724	722	0.04%	0.005%
91	11.809	3243	3256	3282	rBV	591836	949997	53.39%	6.360%
92	12.192	3362	3375	3399	rBV	623997	1030812	57.93%	6.901%
93	12.414	3441	3444	3450	rBV2	417	355	0.02%	0.002%
94	13.851	3884	3891	3901	rVB5	2161	2919	0.16%	0.020%


Sum of corrected areas: 14936194

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
Data File : VU052008.D
Acq On : 21 Nov 2022 20:40
Operator : JC/MD
Sample : N5710-09DL 20X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0KY8DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
Data File : VU052008.D
Acq On : 21 Nov 2022 20:40
Operator : JC/MD
Sample : N5710-09DL 20X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0KY8DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
Data File : VU052008.D
Acq On : 21 Nov 2022 20:40
Operator : JC/MD
Sample : N5710-09DL 20X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0KY8DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------