

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
 Data File : VU052032.D
 Acq On : 22 Nov 2022 08:47
 Operator : JC/MD
 Sample : VU1121MBL03
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK031

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
 Title : VOC Analysis

Signal : TIC: VU052032.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.601	73	81	98	rBV	203956	243891	16.86%	2.212%
2	1.906	167	176	198	rVB	145656	220876	15.27%	2.003%
3	2.565	368	381	397	rBV	294485	482668	33.37%	4.377%
4	2.790	444	451	462	rVB2	1084	1779	0.12%	0.016%
5	2.887	476	481	484	rBV3	239	248	0.02%	0.002%
6	2.993	510	514	515	rBV	336	265	0.02%	0.002%
7	3.047	521	531	541	rBV4	5542	10341	0.72%	0.094%
8	3.118	549	553	555	rBV2	442	326	0.02%	0.003%
9	3.182	560	573	590	rVB2	7310	16402	1.13%	0.149%
10	3.292	605	607	613	rVB2	350	226	0.02%	0.002%
11	3.350	621	625	627	rBV	552	364	0.03%	0.003%
12	3.732	740	744	748	rVB	287	221	0.02%	0.002%
13	3.890	789	793	797	rVV2	319	257	0.02%	0.002%
14	4.572	998	1005	1007	rBV	318	350	0.02%	0.003%
15	4.617	1007	1019	1052	rBV	128237	317858	21.98%	2.883%
16	4.957	1121	1125	1127	rBV2	403	309	0.02%	0.003%
17	5.060	1140	1157	1181	rBV	255605	558926	38.65%	5.069%
18	5.253	1215	1217	1223	rVB3	381	226	0.02%	0.002%
19	5.295	1223	1230	1237	rBV4	907	1543	0.11%	0.014%
20	5.375	1249	1255	1256	rBV4	514	418	0.03%	0.004%
21	5.462	1278	1282	1287	rBV2	211	270	0.02%	0.002%
22	5.517	1293	1299	1301	rBV3	332	253	0.02%	0.002%
23	5.723	1342	1363	1386	rBV2	538299	1446197	100.00%	13.115%
24	5.864	1404	1407	1414	rVB3	683	555	0.04%	0.005%
25	5.996	1446	1448	1457	rVB4	362	372	0.03%	0.003%
26	6.041	1457	1462	1467	rBV3	424	407	0.03%	0.004%
27	6.247	1512	1526	1556	rBV	532827	1021261	70.62%	9.261%
28	6.533	1605	1615	1624	rVV9	2521	4755	0.33%	0.043%
29	6.607	1634	1638	1640	rBV2	332	253	0.02%	0.002%
30	6.687	1649	1663	1686	rBV	329066	651190	45.03%	5.905%
31	6.890	1723	1726	1729	rVV2	357	219	0.02%	0.002%
32	7.169	1809	1813	1814	rBV	370	230	0.02%	0.002%
33	7.346	1863	1868	1873	rVB2	444	591	0.04%	0.005%
34	7.562	1923	1935	1957	rBV	150254	272928	18.87%	2.475%
35	7.687	1970	1974	1975	rBV2	484	388	0.03%	0.004%
36	7.796	2003	2008	2015	rBV3	449	689	0.05%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
 Data File : VU052032.D
 Acq On : 22 Nov 2022 08:47
 Operator : JC/MD
 Sample : VU1121MBL03
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK031

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
 Title : VOC Analysis

37	7.896	2022	2039	2060	rBV	609280	1060571	73.34%	9.618%
38	8.108	2102	2105	2109	rVB2	532	415	0.03%	0.004%
39	8.176	2115	2126	2146	rBV	107377	183502	12.69%	1.664%
40	8.304	2164	2166	2173	rVB4	436	340	0.02%	0.003%
41	8.362	2181	2184	2188	rVB	419	262	0.02%	0.002%
42	8.446	2207	2210	2213	rVB2	470	276	0.02%	0.003%
43	8.478	2213	2220	2224	rBV2	472	586	0.04%	0.005%
44	8.530	2231	2236	2238	rBV2	448	326	0.02%	0.003%
45	8.555	2238	2244	2254	rVB5	1608	2238	0.15%	0.020%
46	8.629	2255	2267	2304	rBV2	347459	687657	47.55%	6.236%
47	8.803	2318	2321	2323	rVB3	580	324	0.02%	0.003%
48	8.848	2332	2335	2341	rVB2	689	508	0.04%	0.005%
49	8.980	2373	2376	2380	rBV2	305	226	0.02%	0.002%
50	8.999	2380	2382	2387	rVV2	313	266	0.02%	0.002%
51	9.079	2401	2407	2411	rBV	249	234	0.02%	0.002%
52	9.266	2463	2465	2471	rVB	245	228	0.02%	0.002%
53	9.337	2483	2487	2489	rBV	345	228	0.02%	0.002%
54	9.414	2498	2511	2533	rBV	764067	1256263	86.87%	11.393%
55	9.568	2555	2559	2569	rVB3	1546	1929	0.13%	0.017%
56	9.693	2591	2598	2607	rVB4	807	1184	0.08%	0.011%
57	9.748	2610	2615	2618	rBV	261	252	0.02%	0.002%
58	9.861	2647	2650	2653	rBV	244	223	0.02%	0.002%
59	9.935	2667	2673	2675	rBV2	268	267	0.02%	0.002%
60	10.099	2718	2724	2727	rBV2	901	797	0.06%	0.007%
61	10.131	2731	2734	2737	rVB3	488	287	0.02%	0.003%
62	10.414	2817	2822	2824	rBV	334	268	0.02%	0.002%
63	10.481	2837	2843	2845	rBV3	319	303	0.02%	0.003%
64	10.751	2914	2927	2948	rVV	473256	771346	53.34%	6.995%
65	10.922	2977	2980	2983	rVB2	485	231	0.02%	0.002%
66	10.944	2983	2987	2995	rVB3	414	434	0.03%	0.004%
67	11.089	3028	3032	3038	rVB3	627	640	0.04%	0.006%
68	11.218	3069	3072	3075	rVB	342	234	0.02%	0.002%
69	11.436	3137	3140	3144	rBV2	282	229	0.02%	0.002%
70	11.468	3144	3150	3161	rVV4	838	1368	0.09%	0.012%
71	11.523	3161	3167	3171	rVV2	242	301	0.02%	0.003%
72	11.549	3172	3175	3179	rVB	402	277	0.02%	0.003%
73	11.751	3230	3238	3244	rBV5	912	1259	0.09%	0.011%
74	11.809	3244	3256	3287	rBV	583489	933016	64.52%	8.461%
75	11.980	3304	3309	3317	rVB5	944	1352	0.09%	0.012%
76	12.021	3317	3322	3324	rBV3	597	563	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
 Data File : VU052032.D
 Acq On : 22 Nov 2022 08:47
 Operator : JC/MD
 Sample : VU1121MBL03
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK031

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
 Title : VOC Analysis

77	12.050	3327	3331	3337	rVB2	561	651	0.05%	0.006%
78	12.082	3337	3341	3344	rBV3	472	450	0.03%	0.004%
79	12.189	3361	3374	3395	rBV	501458	845151	58.44%	7.664%
80	12.369	3424	3430	3435	rVB3	522	632	0.04%	0.006%
81	12.433	3446	3450	3456	rVB2	465	369	0.03%	0.003%
82	12.581	3489	3496	3500	rVB3	344	453	0.03%	0.004%
83	12.681	3523	3527	3531	rVB2	255	255	0.02%	0.002%
84	12.703	3531	3534	3535	rBV2	375	240	0.02%	0.002%
85	12.890	3589	3592	3594	rBV	506	333	0.02%	0.003%
86	12.935	3602	3606	3607	rBV	344	244	0.02%	0.002%
87	13.201	3685	3689	3691	rBV2	359	286	0.02%	0.003%
88	13.227	3692	3697	3698	rBV4	705	562	0.04%	0.005%
89	13.391	3745	3748	3752	rBV	386	323	0.02%	0.003%
90	13.449	3761	3766	3771	rBV3	351	451	0.03%	0.004%
91	13.700	3842	3844	3847	rBV	399	294	0.02%	0.003%
92	13.854	3884	3892	3900	rVB6	1350	2062	0.14%	0.019%
93	13.951	3919	3922	3924	rBV3	294	227	0.02%	0.002%
94	14.018	3940	3943	3947	rBV2	307	286	0.02%	0.003%
95	14.095	3962	3967	3973	rBV5	1526	1978	0.14%	0.018%
96	14.330	4036	4040	4043	rBV4	1042	1031	0.07%	0.009%
97	14.645	4136	4138	4142	rVB3	577	372	0.03%	0.003%
98	14.716	4157	4160	4163	rBV2	445	338	0.02%	0.003%
99	15.381	4365	4367	4370	rBV2	538	356	0.02%	0.003%
100	15.741	4476	4479	4482	rVB3	767	370	0.03%	0.003%

Sum of corrected areas: 11026976

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
Data File : VU052032.D
Acq On : 22 Nov 2022 08:47
Operator : JC/MD
Sample : VU1121MBL03
Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 48 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK031

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112122\
Data File : VU052032.D
Acq On : 22 Nov 2022 08:47
Operator : JC/MD
Sample : VU1121MBL03
Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 48 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK031

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc