

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112123\
 Data File : VU056571.D
 Acq On : 22 Nov 2023 00:02
 Operator : MD/SY
 Sample : 05436-19
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EY1E0

Quant Time: Nov 22 01:00:57 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Nov 22 00:29:26 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	263806	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	261962	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	112071	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	78810	3.994	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	79.800%
7) Chloroethane-d5	1.907	69	66587	4.401	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.000%
11) 1,1-Dichloroethene-d2	2.563	65	37629	4.321	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	86.400%
20) 2-Butanone-d5	4.615	46	197065	50.086	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.180%
24) Chloroform-d	5.055	84	182970	4.794	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.800%
26) 1,2-Dichloroethane-d4	5.695	65	91858	5.209	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.200%
32) Benzene-d6	5.721	84	353541	4.530	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.600%
36) 1,2-Dichloropropane-d6	6.685	67	117779	5.007	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.200%
41) Toluene-d8	7.894	98	313729	4.552	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.000%
43) trans-1,3-Dichloroprop...	8.177	79	42017	4.657	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.200%
46) 2-Hexanone-d5	8.627	63	157794	44.508	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.020%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	79407	4.724	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.400%
66) 1,2-Dichlorobenzene-d4	12.187	152	112197	5.419	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.400%
Target Compounds						
					Qvalue	
15) Methyl Acetate	2.952	43	6100	1.023	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112123\
Data File : VU056571.D
Acq On : 22 Nov 2023 00:02
Operator : MD/SY
Sample : 05436-19
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EY1E0

Quant Time: Nov 22 01:00:57 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Nov 22 00:29:26 2023
Response via : Initial Calibration





#15
Methyl Acetate
Concen: 1.023 ug/L
RT: 2.952 min Scan# 51
Delta R.T. 0.006 min
Lab File: VU056571.D
Acq: 22 Nov 2023 00:02

Instrument :
MSVOA_U
ClientSampleId :
EY1E0

Tgt Ion: 43 Resp: 6100
Ion Ratio Lower Upper
43 100
74 29.0 20.6 31.0

