

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112125\
 Data File : VU063762.D
 Acq On : 21 Nov 2025 12:06
 Operator : MD/SY
 Sample : Q3688-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 FDGW-20251120

Quant Time: Nov 21 22:30:05 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 21 22:28:08 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.219	114	342446	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.393	117	330864	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.788	152	159776	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.583	65	126859	42.899	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	85.800%		
7) Chloroethane-d5	1.895	69	102280	44.894	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	89.780%		
11) 1,1-Dichloroethene-d2	2.541	63	177855	34.698	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	69.400%		
21) 2-Butanone-d5	4.595	46	140387	83.274	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	83.270%		
24) Chloroform-d	5.029	84	220624	44.467	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	88.940%		
26) 1,2-Dichloroethane-d4	5.669	65	150266	46.058	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	92.120%		
32) Benzene-d6	5.695	84	439821	45.351	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	90.700%		
36) 1,2-Dichloropropane-d6	6.660	67	132986	46.709	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	93.420%		
41) Toluene-d8	7.872	98	411307	44.668	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	89.340%		
43) trans-1,3-Dichloroprop...	8.155	79	47840	40.661	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	81.320%		
47) 2-Hexanone-d5	8.615	63	88266	85.268	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	85.270%		
56) 1,1,2,2-Tetrachloroeth...	10.730	84	189358	45.480	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	90.960%		
66) 1,2-Dichlorobenzene-d4	12.167	152	147055	48.756	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	97.520%		
Target Compounds						Qvalue
39) cis-1,3-Dichloropropene	7.537	75	3883	0.998	ug/L	# 15


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112125\
Data File : VU063762.D
Acq On : 21 Nov 2025 12:06
Operator : MD/SY
Sample : Q3688-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
FDGW-20251120

Quant Time: Nov 21 22:30:05 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 21 22:28:08 2025
Response via : Initial Calibration





#39
 cis-1,3-Dichloropropene
 Concen: 0.998 ug/L
 RT: 7.537 min Scan# 14
 Delta R.T. -0.042 min
 Lab File: VU063762.D
 Acq: 21 Nov 2025 12:06

Instrument :
 MSVOA_U
 ClientSampleId :
 FDGW-20251120

Tgt Ion: 75 Resp: 3883
 Ion Ratio Lower Upper
 75 100
 77 79.0 22.1 41.1#

