

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112321\
 Data File : VU045976.D
 Acq On : 23 Nov 2021 23:47
 Operator : SY/MD
 Sample : M4722-14
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0G54

Quant Time: Nov 24 02:09:22 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Nov 24 01:57:54 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	95788	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	95542	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	43737	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	17192	2.265	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	45.400%	
7) Chloroethane-d5	1.919	69	26228	4.747	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	95.000%	
11) 1,1-Dichloroethene-d2	2.572	65	12135	3.812	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	76.200%	
20) 2-Butanone-d5	4.649	46	127985	62.929	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	125.860%	
24) Chloroform-d	5.067	84	64303	5.086	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	101.800%	
26) 1,2-Dichloroethane-d4	5.707	65	40336	5.437	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	108.800%	
32) Benzene-d6	5.732	84	136348	5.182	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	103.600%	
36) 1,2-Dichloropropane-d6	6.694	67	44039	5.311	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	106.200%	
41) Toluene-d8	7.899	98	114454	4.809	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	96.200%	
43) trans-1,3-Dichloroprop...	8.179	79	12609	3.746	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	75.000%	
46) 2-Hexanone-d5	8.636	63	97507	64.356	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	128.720%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	39738	5.672	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	113.400%	
66) 1,2-Dichlorobenzene-d4	12.192	152	44758	5.960	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	119.200%	
Target Compounds						Qvalue
17) Methyl tert-butyl Ether	3.366	73	47593	3.083	ug/L	99
47) Tetrachloroethene	8.558	164	3954	0.822	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112321\
Data File : VU045976.D
Acq On : 23 Nov 2021 23:47
Operator : SY/MD
Sample : M4722-14
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0G54

Quant Time: Nov 24 02:09:22 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111521WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Nov 24 01:57:54 2021
Response via : Initial Calibration

