




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112321\
 Data File : VU045965.D
 Acq On : 23 Nov 2021 18:54
 Operator : SY/MD
 Sample : M4722-05
 Mi sc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 C0G13

Manual IntegrationsAPPROVED

Reviewed By :John Carlone 11/24/2021
 Supervised By :Semsettin Yesilyurt 11/29/2021

Quant Time: Nov 24 00:33:56 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Nov 24 00:27:16 2021
 Response via : Initial Calibration



TIC: VU045965.D\data.ms

(13) Acetone (T)

2.671min (-0.009) 3.98 ug/L

response	4407
Ion	Exp% Act%
43.05	100.00 100.00
58.05	35.80 1.63
0.00	0.00 0.00
0.00	0.00 0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112321\
 Data File : VU045965.D
 Acq On : 23 Nov 2021 18:54
 Operator : SY/MD
 Sample : M4722-05
 Mi sc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 C0G13

Manual IntegrationsAPPROVED

Reviewed By :John Carlone 11/24/2021
 Supervised By :Semsettin Yesilyurt 11/29/2021

Quant Time: Nov 24 00:33:56 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Nov 24 00:27:16 2021
 Response via : Initial Calibration



TIC: VU045965.D\data.ms

(13) Acetone (T)

2.671min (-0.009) 6.18 ug/L m

response	6840
Ion	Exp% Act%
43.05	100.00 100.00
58.05	35.80 1.05
0.00	0.00 0.00
0.00	0.00 0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112321\
 Data File : VU045965.D
 Acq On : 23 Nov 2021 18:54
 Operator : SY/MD
 Sample : M4722-05
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 C0G13

Manual IntegrationsAPPROVED

Reviewed By :John Carlone 11/24/2021
 Supervised By :Semsettin Yesilyurt 11/29/2021

Quant Time: Nov 24 00:33:56 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Nov 24 00:27:16 2021
 Response via : Initial Calibration

Compound	R.T.	QI on	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	88537	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	90379	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	41015	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	16752	2.388	ug/L	0.00
Spike Amount	5.000	Range 40 - 130	Recovery	=	47.800%	
7) Chloroethane-d5	1.919	69	25705	5.034	ug/L	0.00
Spike Amount	5.000	Range 65 - 130	Recovery	=	100.600%	
11) 1,1-Dichloroethene-d2	2.572	65	11415	3.880	ug/L	0.00
Spike Amount	5.000	Range 60 - 125	Recovery	=	77.600%	
20) 2-Butanone-d5	4.649	46	132688	70.585	ug/L	0.00
Spike Amount	50.000	Range 40 - 130	Recovery	=	141.160%#	
24) Chloroform-d	5.067	84	64092	5.484	ug/L	0.00
Spike Amount	5.000	Range 70 - 125	Recovery	=	109.600%	
26) 1,2-Dichloroethane-d4	5.707	65	38271	5.581	ug/L	0.00
Spike Amount	5.000	Range 70 - 130	Recovery	=	111.600%	
32) Benzene-d6	5.732	84	131373	5.278	ug/L	0.00
Spike Amount	5.000	Range 70 - 125	Recovery	=	105.600%	
36) 1,2-Dichloropropane-d6	6.694	67	42860	5.464	ug/L	0.00
Spike Amount	5.000	Range 60 - 140	Recovery	=	109.200%	
41) Toluene-d8	7.899	98	107970	4.795	ug/L	0.00
Spike Amount	5.000	Range 70 - 130	Recovery	=	96.000%	
43) trans-1,3-Dichloroprop...	8.182	79	11870	3.728	ug/L	0.00
Spike Amount	5.000	Range 55 - 130	Recovery	=	74.600%	
46) 2-Hexanone-d5	8.636	63	92917	64.830	ug/L	0.00
Spike Amount	50.000	Range 45 - 130	Recovery	=	129.660%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	39546	5.967	ug/L	0.00
Spike Amount	5.000	Range 65 - 120	Recovery	=	119.400%	
66) 1,2-Dichlorobenzene-d4	12.195	152	43994	6.247	ug/L	0.00
Spike Amount	5.000	Range 80 - 120	Recovery	=	125.000%#	
Target Compounds						
3) Chloromethane	1.523	50	1037	0.136	ug/L	96
13) Acetone	2.671	43	6840m	6.182	ug/L	
48) 2-Hexanone	8.694	43	13173	4.189	ug/L #	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112321\
 Data File : VU045965.D
 Acq On : 23 Nov 2021 18:54
 Operator : SY/MD
 Sample : M4722-05
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 C0G13

Manual Integrations APPROVED

Reviewed By : John Carlone 11/24/2021
 Supervised By : Semsettin Yesilyurt 11/29/2021

Quant Time: Nov 24 00:33:56 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Nov 24 00:27:16 2021
 Response via : Initial Calibration

