

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
 Data File : VU063777.D
 Acq On : 24 Nov 2025 15:02
 Operator : MD/SY
 Sample : Q3688-18
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 RBGW-20251121

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M

Title : VOC Analysis

Signal : TIC: VU063777.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.583	84	91	104	rBV	180470	202006	15.32%	2.032%
2	1.895	180	188	205	rVB	139660	181985	13.80%	1.830%
3	2.541	377	389	405	rBV	275816	454103	34.44%	4.567%
4	2.753	444	455	468	rBV3	6049	15255	1.16%	0.153%
5	2.904	499	502	506	rVB3	555	412	0.03%	0.004%
6	2.936	506	512	514	rBV4	451	404	0.03%	0.004%
7	3.020	530	538	551	rVB5	2775	4953	0.38%	0.050%
8	3.158	564	581	601	rBV	30572	70523	5.35%	0.709%
9	3.261	610	613	616	rBV	336	242	0.02%	0.002%
10	3.319	625	631	632	rBV2	967	623	0.05%	0.006%
11	3.338	632	637	642	rVB5	1016	1318	0.10%	0.013%
12	3.579	707	712	716	rBV2	224	270	0.02%	0.003%
13	3.634	726	729	733	rVB	327	246	0.02%	0.002%
14	3.685	742	745	749	rVB2	304	275	0.02%	0.003%
15	3.711	749	753	756	rBV2	285	262	0.02%	0.003%
16	3.849	790	796	798	rVV2	464	376	0.03%	0.004%
17	4.595	1019	1028	1066	rBV	90944	271023	20.55%	2.726%
18	4.955	1138	1140	1144	rVB4	612	302	0.02%	0.003%
19	5.029	1148	1163	1193	rBV	228305	524698	39.79%	5.277%
20	5.322	1251	1254	1256	rBV2	373	285	0.02%	0.003%
21	5.354	1260	1264	1265	rBV3	435	301	0.02%	0.003%
22	5.467	1296	1299	1303	rVV2	457	313	0.02%	0.003%
23	5.509	1309	1312	1315	rVV3	313	271	0.02%	0.003%
24	5.525	1315	1317	1323	rVB2	321	263	0.02%	0.003%
25	5.692	1349	1369	1414	rBV2	445281	1318556	100.00%	13.262%
26	6.068	1481	1486	1488	rBV2	435	365	0.03%	0.004%
27	6.161	1511	1515	1521	rVB4	348	345	0.03%	0.003%
28	6.219	1521	1533	1581	rBV	358382	746999	56.65%	7.513%
29	6.470	1609	1611	1614	rVB2	594	316	0.02%	0.003%
30	6.508	1614	1623	1638	rBV2	6562	14851	1.13%	0.149%
31	6.592	1646	1649	1653	rVB3	586	417	0.03%	0.004%
32	6.660	1657	1670	1701	rBV	273858	575009	43.61%	5.783%
33	6.824	1718	1721	1728	rVB6	698	671	0.05%	0.007%
34	6.971	1764	1767	1772	rBV2	263	263	0.02%	0.003%
35	7.062	1791	1795	1799	rBV2	379	348	0.03%	0.004%
36	7.184	1829	1833	1835	rBV2	419	368	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
 Data File : VU063777.D
 Acq On : 24 Nov 2025 15:02
 Operator : MD/SY
 Sample : Q3688-18
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 RBGW-20251121

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
 Title : VOC Analysis

37	7.370	1882	1891	1897	rBV2	432	475	0.04%	0.005%
38	7.541	1931	1944	1968	rBV	134602	253685	19.24%	2.552%
39	7.656	1977	1980	1984	rVB3	561	492	0.04%	0.005%
40	7.685	1986	1989	1994	rBV4	520	584	0.04%	0.006%
41	7.782	2012	2019	2021	rBV4	972	1163	0.09%	0.012%
42	7.872	2031	2047	2089	rBV	565802	1065501	80.81%	10.717%
43	8.110	2119	2121	2124	rVB2	481	246	0.02%	0.002%
44	8.155	2124	2135	2162	rBV	84360	156104	11.84%	1.570%
45	8.287	2173	2176	2183	rBV4	432	430	0.03%	0.004%
46	8.380	2202	2205	2208	rBV2	398	317	0.02%	0.003%
47	8.499	2236	2242	2246	rVB2	247	309	0.02%	0.003%
48	8.531	2246	2252	2259	rBV3	1691	1948	0.15%	0.020%
49	8.614	2267	2278	2317	rBV2	212536	567812	43.06%	5.711%
50	8.897	2363	2366	2369	rVB2	541	420	0.03%	0.004%
51	8.991	2391	2395	2399	rVV	431	378	0.03%	0.004%
52	9.010	2399	2401	2407	rVB	455	474	0.04%	0.005%
53	9.045	2407	2412	2419	rBV2	359	404	0.03%	0.004%
54	9.148	2436	2444	2447	rBV4	832	1053	0.08%	0.011%
55	9.203	2459	2461	2467	rVB2	518	378	0.03%	0.004%
56	9.312	2489	2495	2500	rBV2	222	257	0.02%	0.003%
57	9.393	2507	2520	2560	rBV	517629	944810	71.65%	9.503%
58	9.679	2601	2609	2623	rVV6	1862	3261	0.25%	0.033%
59	9.785	2640	2642	2647	rVB2	352	268	0.02%	0.003%
60	9.814	2647	2651	2654	rBV	244	251	0.02%	0.003%
61	9.875	2664	2670	2673	rBV2	269	330	0.03%	0.003%
62	10.084	2727	2735	2739	rBV6	1677	2676	0.20%	0.027%
63	10.251	2782	2787	2792	rVB2	336	382	0.03%	0.004%
64	10.315	2803	2807	2813	rBV2	473	403	0.03%	0.004%
65	10.463	2845	2853	2859	rBV5	2005	2503	0.19%	0.025%
66	10.621	2897	2902	2908	rVV2	1029	1220	0.09%	0.012%
67	10.730	2920	2936	2967	rBV2	391150	655005	49.68%	6.588%
68	10.865	2975	2978	2980	rBV2	509	378	0.03%	0.004%
69	10.975	3007	3012	3015	rBV2	222	240	0.02%	0.002%
70	11.074	3036	3043	3049	rVV3	1104	1741	0.13%	0.018%
71	11.219	3084	3088	3092	rVV2	460	430	0.03%	0.004%
72	11.241	3092	3095	3100	rVB2	267	242	0.02%	0.002%
73	11.325	3119	3121	3128	rVB	351	287	0.02%	0.003%
74	11.450	3155	3160	3173	rVB4	1626	2577	0.20%	0.026%
75	11.566	3193	3196	3202	rVB2	258	239	0.02%	0.002%
76	11.637	3214	3218	3222	rBV2	228	294	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
 Data File : VU063777.D
 Acq On : 24 Nov 2025 15:02
 Operator : MD/SY
 Sample : Q3688-18
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 RBGW-20251121

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
 Title : VOC Analysis

77	11.727	3239	3246	3252	rBV5	3536	5519	0.42%	0.056%
78	11.788	3253	3265	3287	rBV	531205	904249	68.58%	9.095%
79	11.994	3327	3329	3335	rVB3	484	355	0.03%	0.004%
80	12.167	3368	3383	3409	rBV	539255	928376	70.41%	9.338%
81	12.438	3461	3467	3469	rBV2	476	538	0.04%	0.005%
82	12.807	3574	3582	3587	rBV3	505	759	0.06%	0.008%
83	13.019	3643	3648	3651	rBV2	521	461	0.03%	0.005%
84	13.045	3651	3656	3660	rVV	355	378	0.03%	0.004%
85	13.129	3677	3682	3685	rVB3	327	304	0.02%	0.003%
86	13.167	3689	3694	3697	rBV2	341	322	0.02%	0.003%
87	13.203	3697	3705	3712	rBV8	2444	4179	0.32%	0.042%
88	13.296	3732	3734	3740	rVB2	354	310	0.02%	0.003%
89	13.335	3740	3746	3747	rBV3	366	342	0.03%	0.003%
90	13.405	3763	3768	3773	rBV2	374	451	0.03%	0.005%
91	13.479	3788	3791	3794	rVB2	546	394	0.03%	0.004%
92	13.499	3794	3797	3803	rVB2	452	336	0.03%	0.003%
93	13.791	3884	3888	3890	rBV3	380	344	0.03%	0.003%
94	13.823	3890	3898	3910	rVB4	5919	9634	0.73%	0.097%
95	14.071	3965	3975	3988	rBV3	7707	15495	1.18%	0.156%
96	14.196	4011	4014	4018	rBV2	287	290	0.02%	0.003%
97	14.309	4040	4049	4065	rVV3	5345	8985	0.68%	0.090%
98	14.505	4107	4110	4115	rBV2	379	365	0.03%	0.004%
99	15.132	4303	4305	4307	rBV	642	276	0.02%	0.003%
100	15.322	4361	4364	4367	rBV2	533	416	0.03%	0.004%




Sum of corrected areas: 9942262

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063777.D
Acq On : 24 Nov 2025 15:02
Operator : MD/SY
Sample : Q3688-18
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
RBGW-20251121

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063777.D
Acq On : 24 Nov 2025 15:02
Operator : MD/SY
Sample : Q3688-18
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
RBGW-20251121

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063777.D
Acq On : 24 Nov 2025 15:02
Operator : MD/SY
Sample : Q3688-18
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
RBGW-20251121

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------