

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
 Data File : VU063779.D
 Acq On : 24 Nov 2025 15:50
 Operator : MD/SY
 Sample : Q3688-22
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 RBGW-20251124

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M

Title : VOC Analysis

Signal : TIC: VU063779.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.583	84	91	102	rBV	175690	194798	14.92%	1.944%
2	1.894	179	188	201	rBV	137946	183283	14.03%	1.829%
3	2.541	377	389	404	rBV	270613	447438	34.26%	4.466%
4	2.740	440	451	474	rBV2	20998	52114	3.99%	0.520%
5	3.017	530	537	545	rBV3	3495	5010	0.38%	0.050%
6	3.081	552	557	559	rBV	218	222	0.02%	0.002%
7	3.158	565	581	600	rBV	45729	109458	8.38%	1.092%
8	3.264	611	614	617	rVB2	378	227	0.02%	0.002%
9	3.296	618	624	625	rBV	319	304	0.02%	0.003%
10	3.335	630	636	648	rVB6	1234	2257	0.17%	0.023%
11	3.637	724	730	732	rBV	211	257	0.02%	0.003%
12	3.672	736	741	744	rVV3	456	427	0.03%	0.004%
13	3.849	792	796	800	rBV	235	225	0.02%	0.002%
14	3.949	823	827	831	rBV2	285	217	0.02%	0.002%
15	3.978	832	836	841	rVB2	427	304	0.02%	0.003%
16	4.135	880	885	887	rBV2	246	244	0.02%	0.002%
17	4.219	908	911	915	rVB2	350	227	0.02%	0.002%
18	4.390	961	964	967	rVB2	314	199	0.02%	0.002%
19	4.595	1018	1028	1053	rBV	95075	263555	20.18%	2.630%
20	4.939	1133	1135	1136	rBV2	459	196	0.02%	0.002%
21	5.029	1148	1163	1185	rBV	227396	525049	40.20%	5.240%
22	5.264	1230	1236	1238	rBV3	841	993	0.08%	0.010%
23	5.319	1248	1253	1257	rBV2	401	354	0.03%	0.004%
24	5.354	1261	1264	1269	rVB5	737	661	0.05%	0.007%
25	5.463	1295	1298	1300	rBV	308	228	0.02%	0.002%
26	5.595	1337	1339	1341	rBV	301	195	0.01%	0.002%
27	5.692	1348	1369	1400	rBV2	443213	1306006	100.00%	13.034%
28	6.020	1469	1471	1473	rVB3	441	227	0.02%	0.002%
29	6.036	1473	1476	1478	rBV	314	215	0.02%	0.002%
30	6.087	1490	1492	1496	rVB2	382	220	0.02%	0.002%
31	6.135	1504	1507	1510	rBV2	462	267	0.02%	0.003%
32	6.155	1510	1513	1519	rBV3	417	529	0.04%	0.005%
33	6.219	1521	1533	1565	rBV	357971	757806	58.02%	7.563%
34	6.515	1613	1625	1639	rBV6	5937	13262	1.02%	0.132%
35	6.663	1657	1671	1702	rBV	274776	582254	44.58%	5.811%
36	6.997	1771	1775	1779	rBV3	246	223	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
 Data File : VU063779.D
 Acq On : 24 Nov 2025 15:50
 Operator : MD/SY
 Sample : Q3688-22
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 RBGW-20251124

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
 Title : VOC Analysis

37	7.068	1793	1797	1799	rBV	397	246	0.02%	0.002%
38	7.116	1807	1812	1816	rBV3	356	360	0.03%	0.004%
39	7.357	1884	1887	1892	rBV2	242	189	0.01%	0.002%
40	7.541	1932	1944	1972	rBV	132112	250233	19.16%	2.497%
41	7.717	1997	1999	2002	rVB2	457	264	0.02%	0.003%
42	7.737	2002	2005	2009	rBV3	237	213	0.02%	0.002%
43	7.778	2012	2018	2020	rBV3	813	902	0.07%	0.009%
44	7.791	2020	2022	2029	rVB3	716	649	0.05%	0.006%
45	7.872	2034	2047	2084	rBV	557932	1064589	81.51%	10.625%
46	8.155	2125	2135	2159	rVV2	81715	150197	11.50%	1.499%
47	8.261	2166	2168	2172	rVB2	508	364	0.03%	0.004%
48	8.351	2191	2196	2201	rBV2	314	396	0.03%	0.004%
49	8.386	2201	2207	2210	rVB4	525	488	0.04%	0.005%
50	8.441	2220	2224	2227	rVB2	438	324	0.02%	0.003%
51	8.524	2247	2250	2251	rBV	955	470	0.04%	0.005%
52	8.576	2264	2266	2267	rBV	365	201	0.02%	0.002%
53	8.614	2267	2278	2325	rVV3	217760	578194	44.27%	5.771%
54	8.917	2370	2372	2375	rVB2	615	330	0.03%	0.003%
55	8.949	2375	2382	2386	rBV3	447	417	0.03%	0.004%
56	9.029	2405	2407	2412	rVB3	331	205	0.02%	0.002%
57	9.116	2431	2434	2436	rBV	308	196	0.02%	0.002%
58	9.203	2457	2461	2469	rBV2	395	491	0.04%	0.005%
59	9.325	2496	2499	2507	rVB2	285	345	0.03%	0.003%
60	9.393	2507	2520	2561	rBV	529581	977887	74.88%	9.760%
61	9.669	2600	2606	2607	rBV4	1057	767	0.06%	0.008%
62	9.762	2631	2635	2638	rBV	342	322	0.02%	0.003%
63	9.856	2661	2664	2667	rBV	477	331	0.03%	0.003%
64	10.081	2728	2734	2736	rBV2	1027	921	0.07%	0.009%
65	10.460	2846	2852	2866	rVB5	1488	2280	0.17%	0.023%
66	10.624	2898	2903	2911	rVB4	802	850	0.07%	0.008%
67	10.663	2912	2915	2920	rVB2	287	245	0.02%	0.002%
68	10.730	2923	2936	2970	rBV	391976	658721	50.44%	6.574%
69	11.064	3036	3040	3041	rBV	856	577	0.04%	0.006%
70	11.177	3070	3075	3078	rVB	297	283	0.02%	0.003%
71	11.293	3107	3111	3114	rBV2	361	315	0.02%	0.003%
72	11.364	3130	3133	3136	rBV2	308	216	0.02%	0.002%
73	11.450	3153	3160	3165	rBV3	1607	1909	0.15%	0.019%
74	11.592	3201	3204	3209	rVB	275	237	0.02%	0.002%
75	11.618	3209	3212	3215	rBV2	339	266	0.02%	0.003%
76	11.679	3228	3231	3235	rVB	454	301	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
 Data File : VU063779.D
 Acq On : 24 Nov 2025 15:50
 Operator : MD/SY
 Sample : Q3688-22
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 RBGW-20251124

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
 Title : VOC Analysis

77	11.730	3240	3247	3253	rBV5	2714	3594	0.28%	0.036%
78	11.788	3253	3265	3291	rBV	544003	928237	71.07%	9.264%
79	12.045	3341	3345	3347	rBV2	399	357	0.03%	0.004%
80	12.093	3356	3360	3363	rBV	425	365	0.03%	0.004%
81	12.167	3370	3383	3407	rBV	539067	919584	70.41%	9.178%
82	12.399	3452	3455	3458	rVB3	550	313	0.02%	0.003%
83	12.527	3493	3495	3500	rVB2	423	293	0.02%	0.003%
84	12.634	3520	3528	3531	rBV2	316	508	0.04%	0.005%
85	12.833	3585	3590	3594	rBV	334	467	0.04%	0.005%
86	12.894	3604	3609	3611	rBV2	380	332	0.03%	0.003%
87	13.080	3663	3667	3671	rBV	478	431	0.03%	0.004%
88	13.171	3692	3695	3698	rBV2	342	268	0.02%	0.003%
89	13.203	3698	3705	3715	rVV6	1668	2192	0.17%	0.022%
90	13.277	3724	3728	3730	rBV	247	196	0.02%	0.002%
91	13.367	3753	3756	3757	rBV	339	211	0.02%	0.002%
92	13.425	3771	3774	3777	rBV2	282	212	0.02%	0.002%
93	13.441	3777	3779	3783	rVV2	426	334	0.03%	0.003%
94	13.479	3786	3791	3797	rVB3	440	604	0.05%	0.006%
95	13.518	3797	3803	3806	rBV3	454	558	0.04%	0.006%
96	13.704	3858	3861	3864	rBV2	350	300	0.02%	0.003%
97	13.823	3891	3898	3904	rBV5	2974	4314	0.33%	0.043%
98	14.074	3970	3976	3989	rBV2	3940	6761	0.52%	0.067%
99	14.306	4042	4048	4050	rBV4	2974	2804	0.21%	0.028%
100	14.447	4089	4092	4094	rBV	412	257	0.02%	0.003%




Sum of corrected areas: 10019634

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063779.D
Acq On : 24 Nov 2025 15:50
Operator : MD/SY
Sample : Q3688-22
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
RBGW-20251124

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063779.D
Acq On : 24 Nov 2025 15:50
Operator : MD/SY
Sample : Q3688-22
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
RBGW-20251124

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063779.D
Acq On : 24 Nov 2025 15:50
Operator : MD/SY
Sample : Q3688-22
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
RBGW-20251124

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------