

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112621\
 Data File : VU046014.D
 Acq On : 26 Nov 2021 13:00
 Operator : SY/MD
 Sample : M4825-04
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Nov 26 23:28:10 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 26 23:26:55 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	86462	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	86989	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.815	152	37835	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	26649	3.890	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.800%
7) Chloroethane-d5	1.916	69	23413	4.695	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.000%
11) 1,1-Dichloroethene-d2	2.571	65	11477	3.995	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.800%
20) 2-Butanone-d5	4.658	46	119286	64.979	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	129.960%
24) Chloroform-d	5.066	84	53366	4.676	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.600%
26) 1,2-Dichloroethane-d4	5.706	65	35738	5.337	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.800%
32) Benzene-d6	5.732	84	113039	4.719	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.400%
36) 1,2-Dichloropropane-d6	6.693	67	36794	4.873	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.400%
41) Toluene-d8	7.899	98	89632	4.136	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.800%
43) trans-1,3-Dichloroprop...	8.182	79	14587	4.759	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.200%
46) 2-Hexanone-d5	8.639	63	82369	59.710	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	119.420%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	36375	5.703	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	114.000%
66) 1,2-Dichlorobenzene-d4	12.195	152	36025	5.545	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.000%
Target Compounds					Qvalue	
48) 2-Hexanone	8.693	43	11709	3.868	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112621\
Data File : VU046014.D
Acq On : 26 Nov 2021 13:00
Operator : SY/MD
Sample : M4825-04
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Nov 26 23:28:10 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111521WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 26 23:26:55 2021
Response via : Initial Calibration

