

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U112919\
 Data File : VU035920.D
 Acq On : 29 Nov 2019 14:09
 Operator : JC/SP
 Sample : K6061-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0XQ0

Quant Time: Dec 02 09:44:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR112119WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Nov 30 03:20:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	221783	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	260653	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	72135	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	120521	4.16	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.20%
7) Chloroethane-d5	1.93	69	121581	4.85	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.00%
11) 1,1-Dichloroethene-d2	2.59	63	157723	2.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.60%#
20) 2-Butanone-d5	4.69	46	221493	33.03	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	66.06%
24) Chloroform-d	5.11	84	201705	4.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.20%
26) 1,2-Dichloroethane-d4	5.75	65	124657	4.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.60%
32) Benzene-d6	5.77	84	429062	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.20%
36) 1,2-Dichloropropane-d6	6.74	67	153045	4.57	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.40%
41) Toluene-d8	7.93	98	332591	3.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	72.40%
43) trans-1,3-Dichloropropene-	8.22	79	46680	3.58	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	71.60%
46) 2-Hexanone-d5	8.70	63	226384	43.20	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.40%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	123179	4.36	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.20%
64) 1,2-Dichlorobenzene-d4	12.22	152	83885	5.35	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.00%


Target Compounds					Ovalue
25) Chloroform	5.14	83	29871	0.601 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU112919\
Data File : VU035920.D
Acq On : 29 Nov 2019 14:09
Operator : JC/SP
Sample : K6061-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0XQ0

Quant Time: Dec 02 09:44:50 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR112119WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Nov 30 03:20:00 2019
Response via : Initial Calibration





#25

Chloroform

Concen: 0.601 ug/L

RT: 5.14 min Scan# 1181

Delta R.T. 0.00 min

Lab File: VU035920.D

Acq: 29 Nov 2019 14:09

Instrument :
MSVOA_U
ClientSampleId :
C0XQ0

Tot Ion: 83 Resp: 29871

Ion Ratio Lower Upper

83 100

85 60.9 44.6 82.8

