

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112923\
 Data File : VU056636.D
 Acq On : 29 Nov 2023 11:01
 Operator : MD/SY
 Sample : 05554-01
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B26

Quant Time: Nov 29 23:30:01 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Nov 29 23:29:11 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	339368	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	336145	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.810	152	140504	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	79248	3.122	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	62.400%
7) Chloroethane-d5	1.911	69	68388	3.514	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	70.200%
11) 1,1-Dichloroethene-d2	2.563	65	40494	3.615	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.200%
20) 2-Butanone-d5	4.621	46	232960	46.026	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.060%
24) Chloroform-d	5.055	84	211163	4.301	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.000%
26) 1,2-Dichloroethane-d4	5.698	65	102769	4.530	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.600%
32) Benzene-d6	5.724	84	392296	3.917	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.400%
36) 1,2-Dichloropropane-d6	6.685	67	125350	4.153	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.000%
41) Toluene-d8	7.894	98	334189	3.779	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.600%
43) trans-1,3-Dichloroprop...	8.177	79	45481	3.929	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.600%
46) 2-Hexanone-d5	8.634	63	174244	38.301	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	76.600%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	88865	4.120	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.400%
66) 1,2-Dichlorobenzene-d4	12.190	152	114602	4.415	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	88.400%
Target Compounds						
					Qvalue	
25) Chloroform	5.084	83	88498	1.929	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112923\
Data File : VU056636.D
Acq On : 29 Nov 2023 11:01
Operator : MD/SY
Sample : 05554-01
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B26

Quant Time: Nov 29 23:30:01 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Nov 29 23:29:11 2023
Response via : Initial Calibration

