




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120121\
Data File : VU046036.D
Acq On : 01 Dec 2021 11:45
Operator : SY/MD
Sample : M4868-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 02 02:44:19 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 02 02:43:07 2021
Response via : Initial Calibration






TIC: VU046036.D\data.ms

(13) Acetone (T)**2.668min (+ 0.003) 1.79 ug/L****response 2785**

Ion	Exp%	Act%
43.00	100.00	100.00
58.10	33.40	21.90
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120121\
Data File : VU046036.D
Acq On : 01 Dec 2021 11:45
Operator : SY/MD
Sample : M4868-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 02 02:44:19 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 02 02:43:07 2021
Response via : Initial Calibration



TIC: VU046036.D\data.ms

(13) Acetone (T)

2.668min (+ 0.003) 2.40 ug/L m

response 3735

Ion	Exp%	Act%
43.00	100.00	100.00
58.10	33.40	16.33
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120121\
 Data File : VU046036.D
 Acq On : 01 Dec 2021 11:45
 Operator : SY/MD
 Sample : M4868-03
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 02 02:44:19 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 02 02:43:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	189973	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	190810	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	90407	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	69565	44.453	ug/L	0.00
Spiked Amount 50.000	Range 60	- 135	Recovery	=	88.900%	
7) Chloroethane-d5	1.919	69	54524	45.379	ug/L	0.00
Spiked Amount 50.000	Range 70	- 130	Recovery	=	90.760%	
11) 1,1-Dichloroethene-d2	2.572	63	95780	34.094	ug/L	0.00
Spiked Amount 50.000	Range 60	- 125	Recovery	=	68.180%	
21) 2-Butanone-d5	4.645	46	117058	94.097	ug/L	0.00
Spiked Amount 100.000	Range 40	- 130	Recovery	=	94.100%	
24) Chloroform-d	5.070	84	121433	46.467	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	92.940%	
26) 1,2-Dichloroethane-d4	5.707	65	82429	47.000	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	94.000%	
32) Benzene-d6	5.732	84	259957	47.533	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	95.060%	
36) 1,2-Dichloropropane-d6	6.697	67	80841	47.696	ug/L	0.00
Spiked Amount 50.000	Range 70	- 120	Recovery	=	95.400%	
41) Toluene-d8	7.903	98	231593	46.510	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	93.020%	
43) trans-1,3-Dichloroprop...	8.182	79	36878	45.072	ug/L	0.00
Spiked Amount 50.000	Range 60	- 125	Recovery	=	90.140%	
47) 2-Hexanone-d5	8.636	63	76828	95.602	ug/L	0.00
Spiked Amount 100.000	Range 45	- 130	Recovery	=	95.600%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	116949	45.498	ug/L	0.00
Spiked Amount 50.000	Range 65	- 120	Recovery	=	91.000%	
66) 1,2-Dichlorobenzene-d4	12.195	152	88778	50.990	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	101.980%	
Target Compounds						
13) Acetone	2.668	43	3735m	2.402	ug/L	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120121\
Data File : VU046036.D
Acq On : 01 Dec 2021 11:45
Operator : SY/MD
Sample : M4868-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 02 02:44:19 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 02 02:43:07 2021
Response via : Initial Calibration

