

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU120318\
 Data File : VU028449.D
 Acq On : 03 Dec 2018 18:15
 Operator : MD/SY
 Sample : J5764-30
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 JC-02-113018-E

Quant Time: Dec 04 07:46:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U112818W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 29 01:04:49 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	286415	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	537823	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	504280	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	234076	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	240767	50.30	ug/l	0.00
Spiked Amount 50.000			Recovery	=	100.60%	
35) Dibromofluoromethane	4.88	113	176734	49.42	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.84%	
50) Toluene-d8	7.57	98	705970	49.36	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.72%	
62) 4-Bromofluorobenzene	10.31	95	250316	48.56	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.12%	
Target Compounds						
16) Acetone	2.32	43	23772	8.118	ug/l	97
20) Methylene Chloride	2.70	84	509454	123.462	ug/l	95
43) Isopropyl Acetate	5.55	43	46019	3.621	ug/l	98
84) 1,2,4-Trimethylbenzene	11.15	105	16534	1.064	ug/l	96
95) Naphthalene	13.74	128	153527	10.186	ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU120318\
Data File : VU028449.D
Acq On : 03 Dec 2018 18:15
Operator : MD/SY
Sample : J5764-30
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
JC-02-113018-E

Quant Time: Dec 04 07:46:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U112818W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 29 01:04:49 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1185

Delta R.T. 0.00 min

Lab File: VU028449.D

Acq: 03 Dec 2018 18:15

Instrument :

MSVOA_U

ClientSampleId :


JC-02-113018-E

Tot Ion:168 Resp: 286415

Ion Ratio Lower Upper

168 100

99 60.7 49.6 74.4



Abundance Ion 167.90 (167.60 to 168.60): VU028355.D (-1167) (-)

Ion 98.90 (98.60 to 99.60): VU028355.D (-1167) (-)

4.98

150000



100000

50000

0

4.90 5.00 5.10

Time-->



#16

Acetone

Concen: 8.118 ug/l

RT: 2.32 min Scan# 357

Delta R.T. 0.00 min

Lab File: VU028449.D


Acq: 03 Dec 2018 18:15

Tgt Ion: 43 Resp: 23772

Ion Ratio Lower Upper

43 100

58 32.2 24.4 36.6



Abundance Ion 43.00 (42.70 to 43.70): VU028355.D (-334) (-)

Ion 58.00 (57.70 to 58.70): VU028355.D (-334) (-)

2.32

15000


10000


5000

0

2.25 2.30 2.35 2.40

Time-->









#20
Methvlene Chloride
Concen: 123.462 ug/l
RT: 2.70 min Scan# 476
Delta R.T. 0.01 min
Lab File: VU028449.D
Acq: 03 Dec 2018 18:15




Instrument :
MSVOA_U
ClientSampleId :
JC-02-113018-E


Tot Ion: 84 Resp: 509454
Ion Ratio Lower Upper
84 100
49 141.0 120.0 180.0
51 43.1 36.9 55.3
86 65.1 51.1 76.7



#33
1,2-Dichloroethane-d4
Concen: 50.299 ug/l
RT: 5.31 min Scan# 1286
Delta R.T. 0.00 min
Lab File: VU028449.D
Acq: 03 Dec 2018 18:15

Tgt Ion: 65 Resp: 240767
Ion Ratio Lower Upper
65 100
67 54.0 0.0 106.8









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 5.89 min Scan# 1466
 Delta R.T. 0.00 min
 Lab File: VU028449.D
 Acq: 03 Dec 2018 18:15

Instrument :
 MSVOA_U
 ClientSampleId :
 JC-02-113018-E

Tot Ion	Ratio	Lower	Upper
114	100		
63	24.3	0.0	50.0
88	17.0	0.0	34.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VU0
 Ion 87.90 (87.60 to 88.60): VU0






#35
 Dibromofluoromethane
 Concen: 49.418 ug/l
 RT: 4.88 min Scan# 1154
 Delta R.T. 0.00 min
 Lab File: VU028449.D
 Acq: 03 Dec 2018 18:15

Tgt Ion	Ratio	Lower	Upper
113	100		
111	104.3	82.9	124.3
192	18.8	15.4	23.0



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#43

Isopropyl Acetate

Concen: 3.621 ug/l

RT: 5.55 min Scan# 1362

Delta R.T. 0.01 min

Lab File: VU028449.D

Acq: 03 Dec 2018 18:15

Instrument :

MSVOA_U

ClientSampleId :

JC-02-113018-E


Tot Ion: 43 Resp: 46019

Ion Ratio Lower Upper

43 100

61 19.1 14.5 21.7




87 11.3 8.4 12.6



Abundance Ion 43.00 (42.70 to 43.70): VU028355.D (-1343) (-)

Ion 61.00 (60.70 to 61.70): VU028355.D (-1343) (-)

Ion 87.00 (86.70 to 87.70): VU028355.D (-1343) (-)



#50

Toluene-d8

Concen: 49.359 ug/l

RT: 7.57 min Scan# 1988

Delta R.T. 0.00 min

Lab File: VU028449.D


Acq: 03 Dec 2018 18:15

Tgt Ion: 98 Resp: 705970

Ion Ratio Lower Upper



98 100


100 63.0 50.8 76.2



Abundance Ion 98.00 (97.70 to 98.70): VU028355.D (-1971) (-)

Ion 100.00 (99.70 to 100.70): VU028355.D (-1971) (-)





#62

4-Bromofluorobenzene

Concen: 48.557 ug/l

RT: 10.31 min Scan# 2841

Delta R.T. 0.00 min

Lab File: VU028449.D

Acq: 03 Dec 2018 18:15

Instrument :

MSVOA_U

ClientSampleId :

JC-02-113018-E


Tot Ion: 95 Resp: 250316

Ion Ratio Lower Upper

95 100

174 75.9 0.0 145.4




176 72.5 0.0 140.8



Abundance Ion 94.90 (94.60 to 95.60): VU028355.D (-2828) (-)

Ion 173.80 (173.50 to 174.50): VU028355.D (-2828) (-)

Ion 175.80 (175.50 to 176.50): VU028355.D (-2828) (-)



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 9.09 min Scan# 2462

Delta R.T. 0.00 min

Lab File: VU028449.D

Acq: 03 Dec 2018 18:15


Tgt Ion: 117 Resp: 504280

Ion Ratio Lower Upper

117 100

82 60.2 50.3 75.5



119 31.5 24.8 37.2




Abundance Ion 116.90 (116.60 to 117.60): VU028355.D (-2447) (-)

Ion 82.00 (81.70 to 82.70): VU028355.D (-2447) (-)

Ion 118.90 (118.60 to 119.60): VU028355.D (-2447) (-)





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 11.48 min Scan# 3206

Delta R.T. 0.00 min

Lab File: VU028449.D

Acq: 03 Dec 2018 18:15

Instrument :

MSVOA_U

ClientSampleId :

JC-02-113018-E


Tot Ion:152 Resp: 234076

Ion Ratio Lower Upper

152 100

115 61.0 45.0 134.8




150 156.3 0.0 349.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V



#84

1,2,4-Trimethylbenzene

Concen: 1.064 ug/l

RT: 11.15 min Scan# 3103

Delta R.T. 0.00 min

Lab File: VU028449.D


Acq: 03 Dec 2018 18:15

Tgt Ion:105 Resp: 16534

Ion Ratio Lower Upper



105 100


120 40.2 21.4 64.3



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V





#95

Naphthalene

Concen: 10.186 ug/l

RT: 13.74 min Scan# 3909

Delta R.T. 0.00 min

Lab File: VU028449.D

Acq: 03 Dec 2018 18:15

Instrument :

MSVOA_U

ClientSampleId :

JC-02-113018-E

Tot Ion:128 Resp: 153527

Ion Ratio Lower Upper

128 100

127 13.0 10.6 15.8

129 10.7 8.6 12.8

