

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU120418\
 Data File : VU028460.D
 Acq On : 04 Dec 2018 12:02
 Operator : MD/SY
 Sample : J6171-21
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9Y51

Quant Time: Dec 05 09:19:06 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM113018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 05 03:10:52 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	452314	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	424109	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	186604	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	168725	41.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.38%
7) Chloroethane-d5	1.68	69	142221	45.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.56%
11) 1,1-Dichloroethene-d2	2.27	63	244717	34.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.00%
21) 2-Butanone-d5	4.17	46	328036	98.77	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.77%
24) Chloroform-d	4.65	84	302973	46.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.82%
26) 1,2-Dichloroethane-d4	5.31	65	204551	46.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.02%
32) Benzene-d6	5.34	84	629098	47.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.30%
36) 1,2-Dichloropropane-d6	6.33	67	230173	48.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.64%
41) Toluene-d8	7.57	98	540574	45.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.36%
43) trans-1,3-Dichloropropene-	7.85	79	101207	47.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.10%
47) 2-Hexanone-d5	8.31	63	229672	99.82	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.82%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	293887	48.26	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.52%
64) 1,2-Dichlorobenzene-d4	11.86	152	187707	50.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.04%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU120418\
Data File : VU028460.D
Acq On : 04 Dec 2018 12:02
Operator : MD/SY
Sample : J6171-21
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9Y51

Quant Time: Dec 05 09:19:06 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM113018WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 05 03:10:52 2018
Response via : Initial Calibration

