

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U120419\
 Data File : VU035977.D
 Acq On : 04 Dec 2019 17:49
 Operator : JC/SP
 Sample : K6105-10
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFE29

Quant Time: Dec 05 05:50:34 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Dec 05 03:54:31 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	310295	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	339096	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	108676	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	139020	3.93	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.60%
7) Chloroethane-d5	1.93	69	118537	4.18	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.60%
11) 1,1-Dichloroethene-d2	2.59	63	154650	3.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.80%
20) 2-Butanone-d5	4.70	46	279023	44.55	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.10%
24) Chloroform-d	5.11	84	209723	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.40%
26) 1,2-Dichloroethane-d4	5.75	65	116051	4.51	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.20%
32) Benzene-d6	5.77	84	411421	4.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.00%
36) 1,2-Dichloropropane-d6	6.73	67	135202	4.16	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.20%
41) Toluene-d8	7.93	98	329725	3.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	71.40%
43) trans-1,3-Dichloropropene-	8.22	79	47453	3.61	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	72.20%
46) 2-Hexanone-d5	8.68	63	204253	39.54	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	79.08%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	111018	4.06	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.20%
64) 1,2-Dichlorobenzene-d4	12.22	152	106277	4.73	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.60%


Target Compounds					Ovalue
13) Acetone	2.67	43	11841	2.091 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU120419\
Data File : VU035977.D
Acq On : 04 Dec 2019 17:49
Operator : JC/SP
Sample : K6105-10
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFE29

Quant Time: Dec 05 05:50:34 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Dec 05 03:54:31 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.091 ug/L

RT: 2.67 min Scan# 415

Delta R.T. -0.01 min

Lab File: VU035977.D

Acq: 04 Dec 2019 17:49

Instrument :
MSVOA_U
ClientSampleId :
BFE29

Tot Ion: 43 Resp: 11841

Ion Ratio Lower Upper

43 100

58 30.8 0.0 68.6

