

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU120618\
 Data File : VU028516.D
 Acq On : 06 Dec 2018 21:13
 Operator : MD/SY
 Sample : J6252-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 CPA-CPMW04S-M16W4-11-28-18

Quant Time: Dec 07 09:51:49 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 07 00:39:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	90582	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	174077	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	164037	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	76460	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	5.31	65	79234	57.32	ug/l	0.00
Spiked Amount 50.000			Recovery	=	114.64%	
35) Dibromofluoromethane	4.88	113	57761	52.73	ug/l	0.00
Spiked Amount 50.000			Recovery	=	105.46%	
50) Toluene-d8	7.57	98	228905	52.82	ug/l	0.00
Spiked Amount 50.000			Recovery	=	105.64%	
62) 4-Bromofluorobenzene	10.31	95	83197	51.37	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.74%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU120618\
Data File : VU028516.D
Acq On : 06 Dec 2018 21:13
Operator : MD/SY
Sample : J6252-02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
CPA-CPMW04S-M16W4-11-28-18

Quant Time: Dec 07 09:51:49 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 07 00:39:42 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1185

Delta R.T. 0.00 min

Lab File: VU028516.D

Acq: 06 Dec 2018 21:13

Instrument :

MSVOA_U

ClientSampleId :


CPA-CPMW04S-M16W4-11-28-18

Tot Ion:168 Resp: 90582

Ion Ratio Lower Upper

168 100

99 60.0 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VU028495.D (-1168) (-)

Ion 98.90 (98.60 to 99.60): VU028495.D (-1168) (-)

4.98

40000

30000

20000

10000



0

4.90

5.00

5.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 57.319 ug/l

RT: 5.31 min Scan# 1286

Delta R.T. 0.00 min

Lab File: VU028516.D


Acq: 06 Dec 2018 21:13

Tgt Ion: 65 Resp: 79234

Ion Ratio Lower Upper

65 100

67 53.4 0.0 110.6



Abundance Ion 64.90 (64.60 to 65.60): VU028495.D (-1271) (-)

Ion 66.90 (66.60 to 67.60): VU028495.D (-1271) (-)

5.31

40000

30000

20000

10000


0


5.20

5.30

5.40

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 5.89 min Scan# 1466
 Delta R.T. 0.00 min
 Lab File: VU028516.D
 Acq: 06 Dec 2018 21:13

Instrument :
 MSVOA_U
 ClientSampleId :
 CPA-CPMW04S-M16W4-11-28-18

Tot Ion:114 Resp: 174077
 Ion Ratio Lower Upper
 114 100
 63 24.3 0.0 49.2
 88 17.1 0.0 33.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VU0
 Ion 87.90 (87.60 to 88.60): VU0






#35
 Dibromofluoromethane
 Concen: 52.727 ug/l
 RT: 4.88 min Scan# 1154
 Delta R.T. 0.00 min
 Lab File: VU028516.D
 Acq: 06 Dec 2018 21:13

Tgt Ion:113 Resp: 57761
 Ion Ratio Lower Upper
 113 100
 111 103.2 83.4 125.0
 192 18.7 14.8 22.2



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.822 ug/l

RT: 7.57 min Scan# 1988

Delta R.T. 0.00 min

Lab File: VU028516.D

Acq: 06 Dec 2018 21:13

Instrument :

MSVOA_U

ClientSampleId :


CPA-CPMW04S-M16W4-11-28-18

Tot Ion: 98 Resp: 228905

Ion Ratio Lower Upper

98 100

100 64.4 51.0 76.6



Abundance Ion 98.00 (97.70 to 98.70): VU028495.D (-1973) (-)

Ion 100.00 (99.70 to 100.70): VU028495.D (-1973) (-)

7.57



150000

100000

50000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 51.365 ug/l

RT: 10.31 min Scan# 2840

Delta R.T. 0.00 min

Lab File: VU028516.D

Acq: 06 Dec 2018 21:13


Tgt Ion: 95 Resp: 83197

Ion Ratio Lower Upper

95 100

174 74.4 0.0 150.4

176 72.3 0.0 145.2



Abundance Ion 94.90 (94.60 to 95.60): VU028495.D (-2828) (-)

Ion 173.80 (173.50 to 174.50): VU028495.D (-2828) (-)

Ion 175.80 (175.50 to 176.50): VU028495.D (-2828) (-)

10.31


60000


40000

20000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2462
Delta R.T. 0.00 min
Lab File: VU028516.D
Acq: 06 Dec 2018 21:13

Instrument :
MSVOA_U
ClientSampleId :
CPA-CPMW04S-M16W4-11-28-18

Tot Ion:117 Resp: 164037
Ion Ratio Lower Upper
117 100
82 60.2 48.9 73.3
119 31.4 26.2 39.4




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3206
Delta R.T. 0.00 min
Lab File: VU028516.D
Acq: 06 Dec 2018 21:13

Tgt Ion:152 Resp: 76460
Ion Ratio Lower Upper
152 100
115 61.4 42.7 128.1
150 157.6 0.0 346.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

