

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U120619\
 Data File : VU036014.D
 Acq On : 06 Dec 2019 10:59
 Operator : JC/SP
 Sample : VU1206WBL01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK22

Quant Time: Dec 06 22:43:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 06 22:30:31 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	282408	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	303724	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	104637	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	144778	4.50	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	90.00%
7) Chloroethane-d5	1.93	69	118657	4.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.00%
11) 1,1-Dichloroethene-d2	2.59	63	165965	3.59	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.80%
20) 2-Butanone-d5	4.70	46	251436	44.11	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.22%
24) Chloroform-d	5.11	84	214175	4.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.80%
26) 1,2-Dichloroethane-d4	5.75	65	110521	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.40%
32) Benzene-d6	5.77	84	428558	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.20%
36) 1,2-Dichloropropane-d6	6.73	67	131681	4.52	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.40%
41) Toluene-d8	7.93	98	348497	4.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.20%
43) trans-1,3-Dichloropropene-	8.21	79	50136	4.26	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.20%
46) 2-Hexanone-d5	8.68	63	192373	41.58	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.16%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	105974	4.33	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.60%
64) 1,2-Dichlorobenzene-d4	12.22	152	111247	5.15	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.00%


Target Compounds					Ovalue
16) Methylene chloride	3.08	84	15441	0.493 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU120619\
Data File : VU036014.D
Acq On : 06 Dec 2019 10:59
Operator : JC/SP
Sample : VU1206WBL01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK22

Quant Time: Dec 06 22:43:03 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 06 22:30:31 2019
Response via : Initial Calibration





#16
Methvlene chloride
Concen: 0.493 ug/L
RT: 3.08 min Scan# 541
Delta R.T. -0.00 min
Lab File: VU036014.D
Acq: 06 Dec 2019 10:59

Instrument :
MSVOA_U
ClientSampleId :
VBLK22

Tot Ion: 84 Resp: 15441
Ion Ratio Lower Upper
84 100
86 61.1 44.7 82.9
49 120.8 86.2 160.2

