

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU120619\
 Data File : VU036022.D
 Acq On : 06 Dec 2019 14:24
 Operator : JC/SP
 Sample : K6168-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFE35

Quant Time: Dec 06 23:37:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 06 22:30:31 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	291497	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	306893	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	81254	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	110488	3.33	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	66.60%
7) Chloroethane-d5	1.93	69	118264	4.44	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.80%
11) 1,1-Dichloroethene-d2	2.59	63	132315	2.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.40%#
20) 2-Butanone-d5	4.69	46	235117	39.96	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	79.92%
24) Chloroform-d	5.11	84	188763	4.14	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.80%
26) 1,2-Dichloroethane-d4	5.75	65	105919	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.60%
32) Benzene-d6	5.77	84	378463	4.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.20%
36) 1,2-Dichloropropane-d6	6.73	67	123404	4.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.00%
41) Toluene-d8	7.93	98	315544	3.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.40%
43) trans-1,3-Dichloropropene-	8.21	79	43483	3.66	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.20%
46) 2-Hexanone-d5	8.70	63	203775	43.59	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.18%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	107281	4.34	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.80%
64) 1,2-Dichlorobenzene-d4	12.22	152	85384	5.09	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.80%


Target Compounds				Ovalue
13) Acetone	2.66	43	11710	2.201 ug/L 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU120619\
Data File : VU036022.D
Acq On : 06 Dec 2019 14:24
Operator : JC/SP
Sample : K6168-01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFE35

Quant Time: Dec 06 23:37:50 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 06 22:30:31 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.201 ug/L
 RT: 2.66 min Scan# 412
 Delta R.T. -0.00 min
 Lab File: VU036022.D
 Acq: 06 Dec 2019 14:24

Instrument :
 MSVOA_U
 ClientSampleId :
 BFE35

Tot Ion: 43 Resp: 11710
 Ion Ratio Lower Upper
 43 100
 58 29.8 0.0 68.6

