

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120623\
 Data File : VU056663.D
 Acq On : 06 Dec 2023 14:56
 Operator : MD/SY
 Sample : 05642-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0G34

Quant Time: Dec 07 04:53:48 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 07 04:51:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	249520	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	253307	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	113224	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	61624	3.302	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	66.000%
7) Chloroethane-d5	1.911	69	55099	3.850	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	77.000%
11) 1,1-Dichloroethene-d2	2.563	65	29644	3.599	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.000%
20) 2-Butanone-d5	4.621	46	205890	55.325	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	110.640%
24) Chloroform-d	5.055	84	157784	4.371	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.400%
26) 1,2-Dichloroethane-d4	5.695	65	78882	4.729	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.600%
32) Benzene-d6	5.721	84	279519	3.704	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	74.000%
36) 1,2-Dichloropropane-d6	6.685	67	93794	4.124	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.400%
41) Toluene-d8	7.894	98	227342	3.411	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	68.200%#
43) trans-1,3-Dichloroprop...	8.177	79	31723	3.636	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	72.800%
46) 2-Hexanone-d5	8.631	63	146170	42.638	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.280%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	75971	4.674	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.400%
66) 1,2-Dichlorobenzene-d4	12.190	152	83018	3.969	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	79.400%#
Target Compounds						Qvalue
31) Carbon tetrachloride	5.518	117	19634	0.786	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120623\
Data File : VU056663.D
Acq On : 06 Dec 2023 14:56
Operator : MD/SY
Sample : 05642-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0G34

Quant Time: Dec 07 04:53:48 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 07 04:51:32 2023
Response via : Initial Calibration

