

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120623\
 Data File : VU056668.D
 Acq On : 06 Dec 2023 16:57
 Operator : MD/SY
 Sample : 05642-11
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0G49

Quant Time: Dec 07 04:54:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 07 04:51:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	238985	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	248519	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	110785	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	59090	3.306	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	66.200%	
7) Chloroethane-d5	1.907	69	54348	3.965	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	79.400%	
11) 1,1-Dichloroethene-d2	2.563	65	28597	3.625	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	72.600%	
20) 2-Butanone-d5	4.621	46	212637	59.657	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	119.320%	
24) Chloroform-d	5.058	84	152391	4.408	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	88.200%	
26) 1,2-Dichloroethane-d4	5.695	65	77311	4.839	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	96.800%	
32) Benzene-d6	5.721	84	273407	3.693	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	73.800%	
36) 1,2-Dichloropropane-d6	6.685	67	90513	4.056	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	81.200%	
41) Toluene-d8	7.894	98	219890	3.363	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	67.200%#	
43) trans-1,3-Dichloroprop...	8.177	79	32710	3.822	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	76.400%	
46) 2-Hexanone-d5	8.627	63	151482	45.039	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	90.080%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	72394	4.540	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	90.800%	
66) 1,2-Dichlorobenzene-d4	12.190	152	85631	4.184	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	83.600%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120623\
Data File : VU056668.D
Acq On : 06 Dec 2023 16:57
Operator : MD/SY
Sample : 05642-11
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0G49

Quant Time: Dec 07 04:54:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 07 04:51:32 2023
Response via : Initial Calibration

