

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
 Data File : VU046147.D
 Acq On : 07 Dec 2021 18:27
 Operator : SY/MD
 Sample : VU1207WBL03
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK055

Quant Time: Dec 08 04:54:26 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 03 05:08:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	209146	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	207574	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	108224	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	85726	49.759	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	99.520%
7) Chloroethane-d5	1.919	69	62517	47.262	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.520%
11) 1,1-Dichloroethene-d2	2.572	63	117538	38.004	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.000%
21) 2-Butanone-d5	4.639	46	138894	101.414	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.410%
24) Chloroform-d	5.067	84	139302	48.418	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.840%
26) 1,2-Dichloroethane-d4	5.703	65	99294	51.426	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.860%
32) Benzene-d6	5.729	84	322774	54.253	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.500%
36) 1,2-Dichloropropane-d6	6.694	67	97892	53.092	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.180%
41) Toluene-d8	7.899	98	299402	55.271	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.540%
43) trans-1,3-Dichloroprop...	8.179	79	47763	53.662	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	107.320%
47) 2-Hexanone-d5	8.633	63	99674	114.014	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	114.010%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	145277	51.954	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	103.900%
66) 1,2-Dichlorobenzene-d4	12.195	152	119232	57.208	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	114.420%
Target Compounds						
25) Chloroform	5.092	83	13855	4.481	ug/L	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
Data File : VU046147.D
Acq On : 07 Dec 2021 18:27
Operator : SY/MD
Sample : VU1207WBL03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK055

Quant Time: Dec 08 04:54:26 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 03 05:08:36 2021
Response via : Initial Calibration

