

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
 Data File : VU046149.D
 Acq On : 07 Dec 2021 19:11
 Operator : SY/MD
 Sample : M4887-03ME
 Misc : 5.34g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EX8A0ME

Quant Time: Dec 08 04:54:40 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 03 05:08:36 2021
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	194243	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.427	117	188952	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	97041	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	142090	88.802	ug/L	0.00
Spiked Amount 50.000	Range 60	- 135	Recovery	= 177.600%#		
7) Chloroethane-d5	1.916	69	96939	78.907	ug/L	0.00
Spiked Amount 50.000	Range 70	- 130	Recovery	= 157.820%#		
11) 1,1-Dichloroethene-d2	2.549	63	137100	47.730	ug/L	-0.03
Spiked Amount 50.000	Range 60	- 125	Recovery	= 95.460%		
21) 2-Butanone-d5	4.658	46	230963	181.577	ug/L	0.02
Spiked Amount 100.000	Range 40	- 130	Recovery	= 181.580%#		
24) Chloroform-d	5.063	84	237536	88.897	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	= 177.800%#		
26) 1,2-Dichloroethane-d4	5.703	65	168147	93.767	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	= 187.540%#		
32) Benzene-d6	5.726	84	553651	102.231	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	= 204.460%#		
36) 1,2-Dichloropropane-d6	6.690	67	171215	102.010	ug/L	0.00
Spiked Amount 50.000	Range 70	- 120	Recovery	= 204.020%#		
41) Toluene-d8	7.899	98	515303	104.503	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	= 209.000%#		
43) trans-1,3-Dichloroprop...	8.182	79	87734	108.283	ug/L	0.00
Spiked Amount 50.000	Range 60	- 125	Recovery	= 216.560%#		
47) 2-Hexanone-d5	8.681	63	173292	217.758	ug/L	0.04
Spiked Amount 100.000	Range 45	- 130	Recovery	= 217.760%#		
56) 1,1,2,2-Tetrachloroeth...	10.774	84	245248	96.350	ug/L	0.02
Spiked Amount 50.000	Range 65	- 120	Recovery	= 192.700%#		
66) 1,2-Dichlorobenzene-d4	12.198	152	199593	106.801	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	= 213.600%#		
Target Compounds						Qvalue
25) Chloroform	5.089	83	22990	8.007	ug/L	97
42) Toluene	7.973	91	8155	1.329	ug/L	98
46) Tetrachloroethene	8.555	164	10784	9.740	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
Data File : VU046149.D
Acq On : 07 Dec 2021 19:11
Operator : SY/MD
Sample : M4887-03ME
Misc : 5.34g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EX8A0ME

Quant Time: Dec 08 04:54:40 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 03 05:08:36 2021
Response via : Initial Calibration

