

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
 Data File : VU046160.D
 Acq On : 07 Dec 2021 23:17
 Operator : SY/MD
 Sample : M4887-12 10X
 Misc : 4.79g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EX8A7MEDL

Quant Time: Dec 08 08:12:20 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 03 05:08:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	216568	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	211771	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.813	152	112700	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	75818	42.499	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	85.000%		
7) Chloroethane-d5	1.919	69	55677	40.648	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	81.300%		
11) 1,1-Dichloroethene-d2	2.572	63	103877	32.436	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	64.880%		
21) 2-Butanone-d5	4.639	46	131406	92.659	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	92.660%		
24) Chloroform-d	5.067	84	129890	43.600	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	87.200%		
26) 1,2-Dichloroethane-d4	5.703	65	92269	46.150	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	92.300%		
32) Benzene-d6	5.729	84	296745	48.889	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	97.780%		
36) 1,2-Dichloropropane-d6	6.694	67	89038	47.333	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	94.660%		
41) Toluene-d8	7.900	98	267902	48.476	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.960%		
43) trans-1,3-Dichloroprop...	8.179	79	42849	47.187	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	94.380%		
47) 2-Hexanone-d5	8.636	63	94958	106.466	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	106.470%		
56) 1,1,2,2-Tetrachloroeth...	10.758	84	136736	47.931	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	95.860%		
66) 1,2-Dichlorobenzene-d4	12.195	152	111552	51.397	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	102.800%		
Target Compounds					Qvalue	
34) Trichloroethene	6.543	95	21959	13.005	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
Data File : VU046160.D
Acq On : 07 Dec 2021 23:17
Operator : SY/MD
Sample : M4887-12 10X
Misc : 4.79g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EX8A7MEDL

Quant Time: Dec 08 08:12:20 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 03 05:08:36 2021
Response via : Initial Calibration

