

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
 Data File : VU046142.D
 Acq On : 07 Dec 2021 15:47
 Operator : SY/MD
 Sample : M4960-02 10X
 Misc : 5.25g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Dec 08 04:53:43 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 03 05:08:36 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	171636	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	166680	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	90308	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	112711	79.719	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery = 159.440%#			
7) Chloroethane-d5	1.919	69	80921	74.544	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery = 149.080%#			
11) 1,1-Dichloroethene-d2	2.572	63	155089	61.104	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 122.200%			
21) 2-Butanone-d5	4.639	46	178289	158.628	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery = 158.630%#			
24) Chloroform-d	5.067	84	183496	77.718	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 155.440%#			
26) 1,2-Dichloroethane-d4	5.703	65	126802	80.025	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 160.040%#			
32) Benzene-d6	5.729	84	424265	88.808	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 177.620%#			
36) 1,2-Dichloropropane-d6	6.694	67	128963	87.103	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery = 174.200%#			
41) Toluene-d8	7.899	98	393472	90.459	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 180.920%#			
43) trans-1,3-Dichloroprop...	8.179	79	63431	88.749	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 177.500%#			
47) 2-Hexanone-d5	8.636	63	135804	193.454	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery = 193.450%#			
56) 1,1,2,2-Tetrachloroeth...	10.758	84	195836	87.218	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery = 174.440%#			
66) 1,2-Dichlorobenzene-d4	12.195	152	161463	92.839	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 185.680%#			
Target Compounds					Qvalue	
25) Chloroform	5.092	83	14379	5.667	ug/L	98
42) Toluene	7.970	91	7193	1.329	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
Data File : VU046142.D
Acq On : 07 Dec 2021 15:47
Operator : SY/MD
Sample : M4960-02 10X
Misc : 5.25g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Dec 08 04:53:43 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 03 05:08:36 2021
Response via : Initial Calibration









#25

Chloroform
Concen: 5.667 ug/L
RT: 5.092 min Scan# 1167
Delta R.T. 0.000 min
Lab File: VU046142.D
Acq: 07 Dec 2021 15:47

Tgt Ion: 83 Resp: 14379
Ion Ratio Lower Upper
83 100
85 66.9 45.8 85.2



#42

Toluene
Concen: 1.329 ug/L
RT: 7.970 min Scan# 2062
Delta R.T. -0.003 min
Lab File: VU046142.D
Acq: 07 Dec 2021 15:47

Tgt Ion: 91 Resp: 7193
Ion Ratio Lower Upper
91 100
92 63.2 41.9 77.7

