

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
 Data File : VU046132.D
 Acq On : 07 Dec 2021 12:06
 Operator : SY/MD
 Sample : M4869-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M

Title : VOC Analysis

Signal : TIC: VU046132.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.604	74	82	92	rVB	93790	103806	13.65%	1.736%
2	1.919	171	180	192	rBV	71204	91027	11.97%	1.523%
3	2.523	363	368	371	rBV2	218	266	0.03%	0.004%
4	2.572	371	383	402	rBV	158483	263070	34.60%	4.400%
5	2.797	447	453	460	rVV2	358	529	0.07%	0.009%
6	2.845	464	468	471	rBV	281	254	0.03%	0.004%
7	2.961	502	504	510	rVB2	203	239	0.03%	0.004%
8	3.051	524	532	540	rBV3	1886	2892	0.38%	0.048%
9	3.189	565	575	586	rVB3	872	2014	0.26%	0.034%
10	3.501	668	672	678	rBB	172	216	0.03%	0.004%
11	3.568	691	693	695	rBV	140	98	0.01%	0.002%
12	3.912	798	800	802	rBV	141	96	0.01%	0.002%
13	4.038	837	839	845	rVB	167	157	0.02%	0.003%
14	4.070	846	849	852	rBV	152	157	0.02%	0.003%
15	4.224	892	897	901	rBB	191	206	0.03%	0.003%
16	4.260	901	908	911	rBV	157	272	0.04%	0.005%
17	4.317	923	926	927	rBV	125	91	0.01%	0.002%
18	4.420	954	958	960	rBV	142	118	0.02%	0.002%
19	4.456	967	969	972	rBV	124	107	0.01%	0.002%
20	4.642	1010	1027	1069	rBV2	64134	204250	26.86%	3.416%
21	4.919	1108	1113	1116	rBV2	215	217	0.03%	0.004%
22	4.951	1120	1123	1131	rVB2	265	335	0.04%	0.006%
23	4.989	1132	1135	1137	rBV	124	111	0.01%	0.002%
24	5.067	1142	1159	1181	rBV	129800	299562	39.40%	5.010%
25	5.215	1200	1205	1208	rBV2	189	200	0.03%	0.003%
26	5.375	1251	1255	1260	rBB	169	211	0.03%	0.004%
27	5.407	1261	1265	1268	rBB	136	141	0.02%	0.002%
28	5.520	1295	1300	1303	rBB	148	176	0.02%	0.003%
29	5.616	1328	1330	1333	rVB	171	118	0.02%	0.002%
30	5.639	1334	1337	1341	rBB	128	90	0.01%	0.002%
31	5.729	1342	1365	1386	rBV2	284935	760377	100.00%	12.718%
32	5.960	1434	1437	1440	rBV2	162	106	0.01%	0.002%
33	5.986	1440	1445	1447	rBV2	153	155	0.02%	0.003%
34	6.018	1453	1455	1457	rVB	280	133	0.02%	0.002%
35	6.083	1472	1475	1477	rBV	275	222	0.03%	0.004%
36	6.112	1483	1484	1486	rBV2	231	104	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
 Data File : VU046132.D
 Acq On : 07 Dec 2021 12:06
 Operator : SY/MD
 Sample : M4869-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Title : VOC Analysis

37	6.253	1513	1528	1546	rBV	227640	431051	56.69%	7.210%
38	6.395	1570	1572	1575	rBV	164	108	0.01%	0.002%
39	6.488	1599	1601	1603	rBB	250	137	0.02%	0.002%
40	6.533	1606	1615	1629	rBV3	3525	7276	0.96%	0.122%
41	6.604	1636	1637	1641	rVB	226	120	0.02%	0.002%
42	6.694	1651	1665	1688	rBV	171475	332161	43.68%	5.556%
43	6.803	1696	1699	1702	rVB4	449	208	0.03%	0.003%
44	6.851	1711	1714	1717	rBV	142	156	0.02%	0.003%
45	6.890	1724	1726	1728	rVB	237	93	0.01%	0.002%
46	7.012	1759	1764	1766	rBV	154	157	0.02%	0.003%
47	7.041	1769	1773	1775	rVV	233	229	0.03%	0.004%
48	7.054	1775	1777	1781	rVV2	175	109	0.01%	0.002%
49	7.163	1808	1811	1815	rBV	201	219	0.03%	0.004%
50	7.182	1815	1817	1819	rVV	193	119	0.02%	0.002%
51	7.263	1840	1842	1844	rBV	145	102	0.01%	0.002%
52	7.475	1905	1908	1911	rBV	193	180	0.02%	0.003%
53	7.513	1916	1920	1925	rVV	140	136	0.02%	0.002%
54	7.568	1925	1937	1954	rBV	93329	162502	21.37%	2.718%
55	7.629	1954	1956	1957	rVB	262	105	0.01%	0.002%
56	7.684	1969	1973	1979	rVB3	395	385	0.05%	0.006%
57	7.793	2004	2007	2009	rBV	158	118	0.02%	0.002%
58	7.903	2027	2041	2057	rBV	359308	629760	82.82%	10.533%
59	8.086	2095	2098	2104	rBV2	219	233	0.03%	0.004%
60	8.182	2116	2128	2146	rBV	65077	107923	14.19%	1.805%
61	8.247	2146	2148	2150	rBV	204	122	0.02%	0.002%
62	8.343	2173	2178	2180	rBV	222	250	0.03%	0.004%
63	8.475	2216	2219	2222	rVB2	141	108	0.01%	0.002%
64	8.568	2240	2248	2254	rBV	79	152	0.02%	0.003%
65	8.636	2256	2269	2297	rBV	232984	411085	54.06%	6.876%
66	8.919	2351	2357	2364	rVB3	629	801	0.11%	0.013%
67	9.166	2431	2434	2436	rVB	168	114	0.01%	0.002%
68	9.420	2500	2513	2535	rBV	327281	544963	71.67%	9.115%
69	9.693	2591	2598	2606	rVB2	593	818	0.11%	0.014%
70	10.317	2789	2792	2796	rVB	202	140	0.02%	0.002%
71	10.603	2878	2881	2888	rBV	146	129	0.02%	0.002%
72	10.664	2895	2900	2901	rBV	720	478	0.06%	0.008%
73	10.758	2915	2929	2948	rBV	259456	412728	54.28%	6.903%
74	11.099	3032	3035	3039	rBV2	201	141	0.02%	0.002%
75	11.455	3141	3146	3148	rBV2	753	746	0.10%	0.012%
76	11.526	3164	3168	3173	rBV	158	197	0.03%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
 Data File : VU046132.D
 Acq On : 07 Dec 2021 12:06
 Operator : SY/MD
 Sample : M4869-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Title : VOC Analysis




77	11.584	3184	3186	3192	rVB	204	104	0.01%	0.002%
78	11.697	3218	3221	3224	rBV2	353	260	0.03%	0.004%
79	11.812	3245	3257	3278	rVV	369057	577429	75.94%	9.658%
80	11.973	3305	3307	3314	rVB	545	512	0.07%	0.009%
81	12.195	3363	3376	3396	rBV	388317	617017	81.15%	10.320%
82	12.639	3510	3514	3516	rBV2	173	151	0.02%	0.003%
83	13.230	3694	3698	3701	rBV2	295	221	0.03%	0.004%
84	13.552	3796	3798	3802	rBV2	130	100	0.01%	0.002%
85	13.639	3822	3825	3829	rBV	248	163	0.02%	0.003%
86	13.716	3846	3849	3852	rBV	206	94	0.01%	0.002%
87	13.844	3885	3889	3890	rBV2	324	226	0.03%	0.004%
88	13.938	3916	3918	3921	rVB	198	96	0.01%	0.002%
89	13.957	3921	3924	3925	rBV	172	97	0.01%	0.002%
90	14.092	3959	3966	3975	rBV	634	1101	0.14%	0.018%
91	14.577	4114	4117	4123	rVB	525	419	0.06%	0.007%
92	14.616	4127	4129	4137	rVB	175	131	0.02%	0.002%
93	14.700	4152	4155	4157	rBV	327	166	0.02%	0.003%
94	14.780	4177	4180	4182	rBV2	209	160	0.02%	0.003%
95	15.076	4268	4272	4274	rBV	229	189	0.02%	0.003%
96	15.230	4317	4320	4323	rVB	446	305	0.04%	0.005%
97	15.262	4328	4330	4331	rBV	315	140	0.02%	0.002%
98	16.082	4583	4585	4588	rBV2	393	255	0.03%	0.004%
99	16.401	4681	4684	4687	rBV2	625	482	0.06%	0.008%
100	16.500	4713	4715	4718	rBV3	426	231	0.03%	0.004%

Sum of corrected areas: 5978731

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
Data File : VU046132.D
Acq On : 07 Dec 2021 12:06
Operator : SY/MD
Sample : M4869-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 31 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
Data File : VU046132.D
Acq On : 07 Dec 2021 12:06
Operator : SY/MD
Sample : M4869-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 31 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120721\
Data File : VU046132.D
Acq On : 07 Dec 2021 12:06
Operator : SY/MD
Sample : M4869-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 31 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
