

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120723\
 Data File : VU056678.D
 Acq On : 07 Dec 2023 11:47
 Operator : MD/SY
 Sample : 05642-17
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Dec 08 02:03:24 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 07 04:51:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	225272	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	238012	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	100101	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	61902	3.674	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	73.400%	
7) Chloroethane-d5	1.911	69	53122	4.112	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	82.200%	
11) 1,1-Dichloroethene-d2	2.563	65	30601	4.115	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	82.400%	
20) 2-Butanone-d5	4.621	46	206833	61.561	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	123.120%	
24) Chloroform-d	5.058	84	158222	4.855	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	97.000%	
26) 1,2-Dichloroethane-d4	5.698	65	78762	5.230	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	104.600%	
32) Benzene-d6	5.721	84	283275	3.995	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	79.800%	
36) 1,2-Dichloropropane-d6	6.685	67	93358	4.368	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	87.400%	
41) Toluene-d8	7.894	98	227268	3.629	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	72.600%	
43) trans-1,3-Dichloroprop...	8.177	79	33030	4.030	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	80.600%	
46) 2-Hexanone-d5	8.631	63	148728	46.172	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	92.340%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	77381	5.067	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	101.400%	
66) 1,2-Dichlorobenzene-d4	12.190	152	87127	4.712	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	94.200%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120723\
Data File : VU056678.D
Acq On : 07 Dec 2023 11:47
Operator : MD/SY
Sample : 05642-17
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Dec 08 02:03:24 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 07 04:51:32 2023
Response via : Initial Calibration

