

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120723\
 Data File : VU056679.D
 Acq On : 07 Dec 2023 14:03
 Operator : MD/SY
 Sample : 05627-11
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DCLD7

Quant Time: Dec 08 02:03:31 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 07 04:51:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	243156	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	249143	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.810	152	113155	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	62636	3.444	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	68.800%	
7) Chloroethane-d5	1.911	69	52176	3.742	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	74.800%	
11) 1,1-Dichloroethene-d2	2.563	65	30039	3.743	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	74.800%	
20) 2-Butanone-d5	4.621	46	201885	55.668	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	111.340%	
24) Chloroform-d	5.058	84	155479	4.420	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	88.400%	
26) 1,2-Dichloroethane-d4	5.698	65	76363	4.698	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	94.000%	
32) Benzene-d6	5.724	84	277825	3.743	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	74.800%	
36) 1,2-Dichloropropane-d6	6.685	67	91614	4.095	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	82.000%	
41) Toluene-d8	7.897	98	219289	3.345	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	67.000%#	
43) trans-1,3-Dichloroprop...	8.177	79	30904	3.602	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	72.000%	
46) 2-Hexanone-d5	8.631	63	143399	42.529	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	85.060%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	74953	4.689	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	93.800%	
66) 1,2-Dichlorobenzene-d4	12.190	152	85388	4.085	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	81.600%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120723\
Data File : VU056679.D
Acq On : 07 Dec 2023 14:03
Operator : MD/SY
Sample : 05627-11
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DCLD7

Quant Time: Dec 08 02:03:31 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 07 04:51:32 2023
Response via : Initial Calibration

