

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120723\
 Data File : VU056680.D
 Acq On : 07 Dec 2023 14:27
 Operator : MD/SY
 Sample : 05627-12
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DCLY4

Quant Time: Dec 08 02:03:39 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 07 04:51:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	215919	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	223882	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	102292	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	55482	3.435	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	68.800%	
7) Chloroethane-d5	1.907	69	52709	4.257	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	85.200%	
11) 1,1-Dichloroethene-d2	2.563	65	25754	3.613	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	72.200%	
20) 2-Butanone-d5	4.615	46	172975	53.713	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	107.420%	
24) Chloroform-d	5.055	84	142593	4.565	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.200%	
26) 1,2-Dichloroethane-d4	5.698	65	70769	4.903	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	98.000%	
32) Benzene-d6	5.721	84	259287	3.887	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	77.800%	
36) 1,2-Dichloropropane-d6	6.685	67	84780	4.217	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	84.400%	
41) Toluene-d8	7.894	98	205182	3.483	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	69.600%#	
43) trans-1,3-Dichloroprop...	8.177	79	29359	3.808	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	76.200%	
46) 2-Hexanone-d5	8.627	63	133489	44.057	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	88.120%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	67680	4.711	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	94.200%	
66) 1,2-Dichlorobenzene-d4	12.187	152	80360	4.253	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	85.000%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120723\
Data File : VU056680.D
Acq On : 07 Dec 2023 14:27
Operator : MD/SY
Sample : 05627-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DCLY4

Quant Time: Dec 08 02:03:39 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 07 04:51:32 2023
Response via : Initial Calibration

