

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
 Data File : VU046220.D
 Acq On : 09 Dec 2021 15:09
 Operator : SY/MD
 Sample : M4887-21ME
 Misc : 4.79g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EX8D3ME

Quant Time: Dec 10 03:44:46 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 03 05:08:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	236344	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	241566	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	125243	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	87650	45.021	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.040%
7) Chloroethane-d5	1.916	69	55532	37.150	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	74.300%
11) 1,1-Dichloroethene-d2	2.549	63	106048	30.343	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.680%
21) 2-Butanone-d5	4.655	46	118291	76.431	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	76.430%
24) Chloroform-d	5.063	84	118725	36.517	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	73.040%
26) 1,2-Dichloroethane-d4	5.703	65	96373	44.169	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.340%
32) Benzene-d6	5.726	84	312670	45.159	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.320%
36) 1,2-Dichloropropane-d6	6.694	67	94983	44.265	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	88.540%
41) Toluene-d8	7.899	98	290194	46.033	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.060%
43) trans-1,3-Dichloroprop...	8.182	79	49377	47.669	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.340%
47) 2-Hexanone-d5	8.677	63	91847	90.277	ug/L	0.04
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.280%
56) 1,1,2,2-Tetrachloroeth...	10.771	84	137168	42.152	ug/L	0.01
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.300%
66) 1,2-Dichlorobenzene-d4	12.198	152	109405	45.359	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.720%
Target Compounds						
					Qvalue	
25) Chloroform	5.089	83	28536	8.168	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
Data File : VU046220.D
Acq On : 09 Dec 2021 15:09
Operator : SY/MD
Sample : M4887-21ME
Misc : 4.79g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EX8D3ME

Quant Time: Dec 10 03:44:46 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 03 05:08:36 2021
Response via : Initial Calibration

