

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
 Data File : VU046238.D
 Acq On : 09 Dec 2021 22:26
 Operator : SY/MD
 Sample : M5002-01
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CT7

Quant Time: Dec 10 05:24:50 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 03 05:08:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	176897	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	186185	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	95651	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	67934	46.620	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	93.240%		
7) Chloroethane-d5	1.919	69	51916	46.403	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	92.800%		
11) 1,1-Dichloroethene-d2	2.572	63	89212	34.104	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	68.200%		
21) 2-Butanone-d5	4.639	46	110938	95.769	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	95.770%		
24) Chloroform-d	5.067	84	114088	46.884	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.760%		
26) 1,2-Dichloroethane-d4	5.707	65	78620	48.141	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.280%		
32) Benzene-d6	5.732	84	242651	45.471	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	90.940%		
36) 1,2-Dichloropropane-d6	6.694	67	76449	46.225	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	92.460%		
41) Toluene-d8	7.899	98	217964	44.860	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	89.720%		
43) trans-1,3-Dichloroprop...	8.182	79	37305	46.727	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	93.460%		
47) 2-Hexanone-d5	8.633	63	77417	98.728	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	98.730%		
56) 1,1,2,2-Tetrachloroeth...	10.758	84	118309	47.171	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	94.340%		
66) 1,2-Dichlorobenzene-d4	12.195	152	88320	47.946	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	95.900%		
Target Compounds						Qvalue
34) Trichloroethene	6.546	95	6827	4.599	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
Data File : VU046238.D
Acq On : 09 Dec 2021 22:26
Operator : SY/MD
Sample : M5002-01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CT7

Quant Time: Dec 10 05:24:50 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 03 05:08:36 2021
Response via : Initial Calibration





#34
 Trichloroethene
 Concen: 4.599 ug/L
 RT: 6.546 min Scan# 1
 Delta R.T. 0.000 min
 Lab File: VU046238.D
 Acq: 09 Dec 2021 22:26

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CT7

Tgt Ion: 95 Resp: 6827

Ion	Ratio	Lower	Upper
95	100		
97	61.7	44.1	81.9
132	92.7	66.8	124.0
130	100.3	69.0	128.1

