

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
 Data File : VU046253.D
 Acq On : 10 Dec 2021 04:01
 Operator : SY/MD
 Sample : M4982-18
 Misc : 5.6mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CT4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Title : VOC Analysis

Signal : TIC: VU046253.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.604	74	82	99	rVB	86404	97506	9.73%	1.579%
2	1.777	130	136	140	rBV	682	953	0.10%	0.015%
3	1.832	150	153	158	rVB3	441	390	0.04%	0.006%
4	1.919	171	180	194	rVB	66248	83634	8.35%	1.355%
5	1.980	197	199	200	rBV	415	206	0.02%	0.003%
6	2.057	221	223	225	rBV	271	127	0.01%	0.002%
7	2.083	229	231	232	rBV2	146	76	0.01%	0.001%
8	2.102	232	237	242	rVB3	470	599	0.06%	0.010%
9	2.128	242	245	248	rBV	526	450	0.04%	0.007%
10	2.202	266	268	271	rVB	219	94	0.01%	0.002%
11	2.218	271	273	275	rBV2	260	176	0.02%	0.003%
12	2.247	279	282	285	rVB2	233	140	0.01%	0.002%
13	2.266	285	288	289	rBV	99	63	0.01%	0.001%
14	2.282	289	293	295	rVB2	91	64	0.01%	0.001%
15	2.295	295	297	300	rBV2	120	77	0.01%	0.001%
16	2.324	300	306	309	rVB2	238	240	0.02%	0.004%
17	2.350	312	314	318	rBV2	214	158	0.02%	0.003%
18	2.369	318	320	322	rBV	122	82	0.01%	0.001%
19	2.404	329	331	333	rBV2	176	115	0.01%	0.002%
20	2.424	333	337	339	rVV	176	148	0.01%	0.002%
21	2.437	339	341	342	rVV	61	29	0.00%	0.000%
22	2.472	349	352	355	rBV	182	146	0.01%	0.002%
23	2.498	355	360	363	rBV2	334	262	0.03%	0.004%
24	2.514	363	365	368	rVB	292	158	0.02%	0.003%
25	2.533	368	371	372	rBV	291	159	0.02%	0.003%
26	2.575	372	384	403	rBV3	149046	271161	27.06%	4.392%
27	2.678	413	416	422	rVB2	513	446	0.04%	0.007%
28	2.707	422	425	428	rBV2	164	111	0.01%	0.002%
29	2.729	428	432	433	rVV2	250	167	0.02%	0.003%
30	2.752	437	439	441	rVB	224	107	0.01%	0.002%
31	2.781	441	448	450	rBV2	474	565	0.06%	0.009%
32	2.806	452	456	461	rVB2	597	593	0.06%	0.010%
33	2.829	461	463	466	rVB	221	110	0.01%	0.002%
34	2.858	469	472	475	rVB	309	188	0.02%	0.003%
35	2.874	475	477	478	rBV	200	98	0.01%	0.002%
36	2.887	478	481	485	rBV2	136	99	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
 Data File : VU046253.D
 Acq On : 10 Dec 2021 04:01
 Operator : SY/MD
 Sample : M4982-18
 Misc : 5.6mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COCT4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Title : VOC Analysis

37	2.906	485	487	489	rVB	287	129	0.01%	0.002%
38	2.922	489	492	495	rVB2	306	182	0.02%	0.003%
39	2.941	495	498	499	rBV	117	66	0.01%	0.001%
40	2.970	499	507	511	rBV2	472	534	0.05%	0.009%
41	3.002	513	517	519	rBV	287	154	0.02%	0.002%
42	3.019	519	522	525	rBV	197	121	0.01%	0.002%
43	3.048	528	531	532	rBV	308	155	0.02%	0.003%
44	3.089	538	544	548	rVB2	476	566	0.06%	0.009%
45	3.112	548	551	554	rVB2	239	150	0.01%	0.002%
46	3.131	554	557	558	rBV	236	140	0.01%	0.002%
47	3.170	567	569	571	rVB	174	70	0.01%	0.001%
48	3.199	571	578	582	rBV2	380	553	0.06%	0.009%
49	3.218	582	584	587	rVB	298	143	0.01%	0.002%
50	3.244	587	592	594	rVB2	256	208	0.02%	0.003%
51	3.260	594	597	600	rBV	305	208	0.02%	0.003%
52	3.282	600	604	607	rBV	312	193	0.02%	0.003%
53	3.298	607	609	611	rBV	225	154	0.02%	0.002%
54	3.314	611	614	616	rBV2	210	137	0.01%	0.002%
55	3.356	624	627	629	rBV	277	171	0.02%	0.003%
56	3.379	632	634	640	rVB	552	510	0.05%	0.008%
57	3.408	640	643	646	rBV	134	104	0.01%	0.002%
58	3.469	659	662	664	rBV	398	254	0.03%	0.004%
59	3.491	664	669	671	rVV	265	283	0.03%	0.005%
60	3.533	675	682	683	rBV	448	468	0.05%	0.008%
61	3.562	688	691	699	rVB	589	697	0.07%	0.011%
62	3.594	699	701	703	rBV2	208	91	0.01%	0.001%
63	3.639	712	715	719	rVB	331	251	0.03%	0.004%
64	3.707	733	736	742	rVB	378	335	0.03%	0.005%
65	3.755	746	751	755	rVB	760	733	0.07%	0.012%
66	3.777	755	758	762	rBV	560	562	0.06%	0.009%
67	3.819	766	771	776	rVB2	372	459	0.05%	0.007%
68	3.929	802	805	808	rVB	423	249	0.02%	0.004%
69	3.980	818	821	825	rBV	430	436	0.04%	0.007%
70	4.070	845	849	851	rBV	291	229	0.02%	0.004%
71	4.234	896	900	903	rBV2	677	571	0.06%	0.009%
72	4.308	921	923	928	rVB	309	167	0.02%	0.003%
73	4.388	944	948	950	rBV	426	371	0.04%	0.006%
74	4.453	965	968	971	rBV2	574	464	0.05%	0.008%
75	4.472	972	974	977	rVV	650	481	0.05%	0.008%
76	4.494	977	981	985	rVV	759	861	0.09%	0.014%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
 Data File : VU046253.D
 Acq On : 10 Dec 2021 04:01
 Operator : SY/MD
 Sample : M4982-18
 Misc : 5.6mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CT4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Title : VOC Analysis

77	4.517	985	988	995	rVB	569	556	0.06%	0.009%
78	4.639	1011	1026	1058	rBV	58314	191261	19.09%	3.098%
79	5.070	1144	1160	1183	rBV	109837	259089	25.86%	4.196%
80	5.321	1227	1238	1252	rVB4	14140	31125	3.11%	0.504%
81	5.729	1344	1365	1388	rBV2	239074	642037	64.07%	10.399%
82	6.073	1469	1472	1477	rBV	755	775	0.08%	0.013%
83	6.253	1514	1528	1543	rBV	192631	361348	36.06%	5.853%
84	6.546	1604	1619	1636	rBV	543414	1002079	100.00%	16.231%
85	6.694	1652	1665	1683	rVB	147197	286006	28.54%	4.632%
86	7.568	1925	1937	1956	rBV	83497	145486	14.52%	2.356%
87	7.899	2026	2040	2056	rBV	291153	502541	50.15%	8.140%
88	8.054	2086	2088	2095	rVB2	687	449	0.04%	0.007%
89	8.182	2117	2128	2145	rBV2	55802	94093	9.39%	1.524%
90	8.636	2257	2269	2294	rBV	186000	330773	33.01%	5.358%
91	9.417	2500	2512	2533	rBV	295427	492615	49.16%	7.979%
92	9.674	2589	2592	2594	rBV2	644	424	0.04%	0.007%
93	10.758	2918	2929	2950	rVB	221249	354467	35.37%	5.741%
94	11.812	3245	3257	3273	rVB	324172	509104	50.80%	8.246%
95	11.935	3291	3295	3298	rBV2	689	635	0.06%	0.010%
96	12.195	3364	3376	3393	rBV	308752	494362	49.33%	8.007%
97	12.681	3524	3527	3533	rBV	698	613	0.06%	0.010%
98	15.748	4478	4481	4483	rBV2	683	539	0.05%	0.009%
99	16.947	4852	4854	4856	rBV	761	390	0.04%	0.006%
100	17.436	5003	5006	5010	rBV4	992	932	0.09%	0.015%




Sum of corrected areas: 6174006

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
Data File : VU046253.D
Acq On : 10 Dec 2021 04:01
Operator : SY/MD
Sample : M4982-18
Misc : 5.6mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CT4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
Data File : VU046253.D
Acq On : 10 Dec 2021 04:01
Operator : SY/MD
Sample : M4982-18
Misc : 5.6mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CT4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120921\
Data File : VU046253.D
Acq On : 10 Dec 2021 04:01
Operator : SY/MD
Sample : M4982-18
Misc : 5.6mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CT4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc