

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120924\
 Data File : VU062176.D
 Acq On : 09 Dec 2024 22:41
 Operator : MD/SY
 Sample : P5107-20
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BHJ99

Quant Time: Dec 10 00:37:29 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR120924WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Dec 10 00:32:19 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	100403	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	96738	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	47004	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	19809	2.925	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	58.400%
7) Chloroethane-d5	1.907	69	17791	3.693	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	73.800%
11) 1,1-Dichloroethene-d2	2.560	65	9536	2.960	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.200%#
20) 2-Butanone-d5	4.624	46	79299	61.098	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	122.200%
24) Chloroform-d	5.052	84	66089	4.509	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.200%
26) 1,2-Dichloroethane-d4	5.692	65	36339	5.042	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.800%
32) Benzene-d6	5.717	84	107219	3.848	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.000%
36) 1,2-Dichloropropane-d6	6.682	67	35851	4.497	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.000%
41) Toluene-d8	7.891	98	90389	3.434	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	68.600%#
43) trans-1,3-Dichloroprop...	8.177	79	14122	4.024	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.400%
46) 2-Hexanone-d5	8.627	63	55222	52.164	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.320%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	33807	5.450	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	109.000%
66) 1,2-Dichlorobenzene-d4	12.187	152	41009	4.735	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.600%
Target Compounds						
					Qvalue	
22) cis-1,2-Dichloroethene	4.656	96	20461	2.621	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU120924\
Data File : VU062176.D
Acq On : 09 Dec 2024 22:41
Operator : MD/SY
Sample : P5107-20
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BHJ99

Quant Time: Dec 10 00:37:29 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR120924WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Dec 10 00:32:19 2024
Response via : Initial Calibration

