

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121019\
 Data File : VU036093.D
 Acq On : 10 Dec 2019 19:11
 Operator : JC/MD
 Sample : K6168-15
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFE48

Quant Time: Dec 11 08:07:27 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Dec 11 06:27:41 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	283484	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	317163	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	83130	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	122027	4.83	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.60%
7) Chloroethane-d5	1.93	69	117174	4.42	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.40%
11) 1,1-Dichloroethene-d2	2.59	63	136017	2.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.80%#
20) 2-Butanone-d5	4.69	46	229637	53.33	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.66%
24) Chloroform-d	5.11	84	185695	4.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.60%
26) 1,2-Dichloroethane-d4	5.75	65	103494	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.40%
32) Benzene-d6	5.77	84	380756	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.80%
36) 1,2-Dichloropropane-d6	6.73	67	123948	5.12	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.40%
41) Toluene-d8	7.93	98	313073	4.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.40%
43) trans-1,3-Dichloropropene-	8.22	79	43491	4.31	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.20%
46) 2-Hexanone-d5	8.70	63	179561	49.18	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.36%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	109058	4.90	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.00%
64) 1,2-Dichlorobenzene-d4	12.22	152	83468	5.22	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.40%


Target Compounds					Ovalue
13) Acetone	2.66	43	12665	2.317 ug/L	100
25) Chloroform	5.14	83	20095	0.477 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121019\
Data File : VU036093.D
Acq On : 10 Dec 2019 19:11
Operator : JC/MD
Sample : K6168-15
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFE48

Quant Time: Dec 11 08:07:27 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Dec 11 06:27:41 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.317 ug/L

RT: 2.66 min Scan# 412

Delta R.T. -0.02 min

Lab File: VU036093.D

Acq: 10 Dec 2019 19:11

Instrument :

MSVOA_U

ClientSampleId :


BFE48

Tot Ion: 43 Resp: 12665




Ion Ratio Lower Upper

43 100

58 37.2 0.0 74.2



Abundance Ion 43.05 (42.75 to 43.75): VU036093.D (-324) (-)



#25

Chloroform

Concen: 0.477 ug/L

RT: 5.14 min Scan# 1181

Delta R.T. 0.00 min

Lab File: VU036093.D


Acq: 10 Dec 2019 19:11

Tgt Ion: 83 Resp: 20095

Ion Ratio Lower Upper

83 100

85 64.1 43.9 81.5



Abundance Ion 83.05 (82.75 to 83.75): VU036093.D (-1087) (-)

