

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121019\
 Data File : VU036094.D
 Acq On : 10 Dec 2019 19:36
 Operator : JC/MD
 Sample : K6168-16
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFE49

Quant Time: Dec 11 08:09:49 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Dec 11 06:27:41 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	275001	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	304743	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	84538	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	123759	5.05	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.00%
7) Chloroethane-d5	1.93	69	114096	4.43	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.60%
11) 1,1-Dichloroethene-d2	2.59	63	133212	2.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.40%#
20) 2-Butanone-d5	4.69	46	217289	52.02	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.04%
24) Chloroform-d	5.11	84	185031	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.00%
26) 1,2-Dichloroethane-d4	5.75	65	104491	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.40%
32) Benzene-d6	5.77	84	371412	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.20%
36) 1,2-Dichloropropane-d6	6.73	67	120086	5.16	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.20%
41) Toluene-d8	7.93	98	307839	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.40%
43) trans-1,3-Dichloropropene-	8.21	79	43408	4.48	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.60%
46) 2-Hexanone-d5	8.70	63	175638	50.07	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.14%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	107733	5.03	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.60%
64) 1,2-Dichlorobenzene-d4	12.22	152	82610	5.08	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.60%


Target Compounds				Ovalue
13) Acetone	2.67	43	12622	2.381 ug/L 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121019\
Data File : VU036094.D
Acq On : 10 Dec 2019 19:36
Operator : JC/MD
Sample : K6168-16
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFE49

Quant Time: Dec 11 08:09:49 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Dec 11 06:27:41 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.381 ug/L

RT: 2.67 min Scan# 413

Delta R.T. -0.01 min

Lab File: VU036094.D

Acq: 10 Dec 2019 19:36


Instrument :
MSVOA_U
ClientSampleId :
BFE49

Tot Ion: 43 Resp: 12622

Ion Ratio Lower Upper

43 100

58 34.9 0.0 74.2



Abundance Ion 43.05 (42.75 to 43.75): VU0

Ion 58.05 (57.75 to 58.75): VU0

8000

6000

4000

2000

0

2.60 2.65 2.70 2.75

Time-->

